acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

4-Chlorophenol ≥98 %, for synthesis

article number: **1C33** date of compilation: 2020-05-22 Version: **2.0 en** Revision: 2022-05-06

Replaces version of: 2020-05-22

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **4-Chlorophenol** ≥98 %, for synthesis

Article number 1C33

EC number 203-402-6 CAS number 106-48-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)		Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332

United Kingdom (en) Page 1 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)



4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS07, GHS09





H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 4-Chlorophenol

Molecular formula C₆H₅ClO

Molar mass 128,6 g/_{mol}

CAS No 106-48-9

EC No 203-402-6

United Kingdom (en) Page 2 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)



4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
-	-	500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg}	oral dermal	

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Cough, Dyspnoea, Headache, Vertigo, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

United Kingdom (en) Page 3 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Phosgene, Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation. Avoid: Aerosol or mist formation.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

United Kingdom (en) Page 4 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,5 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 5 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Form crystals

Colour colourless

Odour like: - Phenol

Melting point/freezing point 43 °C

Boiling point or initial boiling point and boiling

range

220 °C at 1.013 hPa

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 121 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility $26 \, {}^{9}/_{l}$ at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): ≥1,8 – ≤2,5 (pH value: 7, 35 °C) (ECHA)

Vapour pressure 3,9 Pa at 20 °C

Density and/or relative density

Density $1,4 \, {}^{9}/_{cm^{3}}$ at 20 °C (ECHA)

United Kingdom (en) Page 6 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

®

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Relative vapour density 4,43 at 20 °C (air = 1)

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser,

Dangerous/dangerous reactions with: Carboxylic acid anhydride, Acetic anhydride, Reducing agents, Strong alkali, Acid chlorides, inorganic

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

aluminium, copper, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	>5.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

United Kingdom (en) Page 7 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

causes slight to moderate irritation

• If inhaled

cough, Dyspnoea, irritant effects

• If on skin

causes slight to moderate irritation

Other information

Other adverse effects: Cardiovascular system, Liver and kidney damage, Headache, Vertigo

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 8 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)



4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	4,9 ^{mg} / _l	fish	ECHA	96 h
EC50	7,4 ^{mg} / _l	aquatic invertebrates	ECHA	24 h
ErC50	29 ^{mg} / _l	algae	ECHA	96 h

Biodegradation

Data are not available.

12.2 Process of degradability

Theoretical Oxygen Demand: 1,618 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 2,054 $^{\rm mg}/_{\rm mg}$

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	≥1,8 - ≤2,5 (pH value: 7, 35 °C) (ECHA)
---------------------------	---

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

United Kingdom (en) Page 9 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

©

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 2020 IMDG-Code UN 2020 UN 2020 UN 2020

14.2 UN proper shipping name

ADRRID CHLOROPHENOLS, SOLID IMDG-Code CHLOROPHENOLS, SOLID ICAO-TI Chlorophenols, solid

14.3 Transport hazard class(es)

ADRRID 6.1
IMDG-Code 6.1
ICAO-TI 6.1

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name CHLOROPHENOLS, SOLID

Particulars in the transport document UN2020, CHLOROPHENOLS, SOLID, 6.1, III, (E),

environmentally hazardous

Classification code T2

Danger label(s) 6.1, "Fish and tree"



Environmental hazards yes (hazardous to the aguatic environment)

Special provisions (SP) 205, 802(ADN)

United Kingdom (en) Page 10 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

®

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Excepted quantities (EQ)

Limited quantities (LQ)

Transport category (TC)

Tunnel restriction code (TRC)

Hazard identification No

Emergency Action Code

2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code T2

Danger label(s) 6.1

Fish and tree

Environmental hazards Yes

Hazardous to water

Special provisions (SP) 205, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 2
Hazard identification No 60

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CHLOROPHENOLS, SOLID

Particulars in the shipper's declaration UN2020, CHLOROPHENOLS, SOLID, 6.1, III, MAR-

INE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"



Special provisions (SP) 205

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Chlorophenols, solid

Particulars in the shipper's declaration UN2020, Chlorophenols, solid, 6.1, III Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1

United Kingdom (en) Page 11 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)



4-Chlorophenol ≥98 %, for synthesis

article number: 1C33



Special provisions (SP) A25
Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (to plication of lower and quiremen	upper-tier re-	Notes	
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)	

Notation

Deco-Paint Directive

VOC content	100 % 1.400 ^g / _l
-------------	--

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
4-Chlorophenol	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

Legend

Indicative list of the main pollutants

United Kingdom (en) Page 12 / 15

⁵⁷⁾ Hazardous to the Aquatic Environment in category Chronic 2

acc. to Regulation (EC) No. 1907/2006 (REACH)

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC CSCL-ENCS

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

INSQ

ISHA-ENCS KFCI

NZIoC

PICCS

United Kingdom (en) Page 13 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)



4-Chlorophenol ≥98 %, for synthesis

article number: 1C33

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

United Kingdom (en) Page 14 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

4-Chlorophenol ≥98 %, for synthesis

article number: 1C33



Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 15 / 15