according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51 date of compilation: 2020-08-18 Version: 2.0 en Revision: 2022-02-18

Replaces version of: 2020-08-18

Version: (1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Methylamine** 40 % in water, for synthesis

Article number 1E51

Registration number (REACH) not relevant (mixture)

Index number in CLP Annex VI [612-001-01-6] EC number [200-820-0] CAS number [74-89-5]

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	6 Flammable liquid		Hazard class and category	Hazard statement
2.6			Flam. Liq. 2	H225
3.10			Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	3.8R Specific target organ toxicity - single exposure (respirat ory tract irritation)		STOT SE 3	H335

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS02, GHS05, GHS07



#### **Hazard statements**

H225 Highly flammable liquid and vapour H302+H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

United Kingdom (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

Hazardous ingredients for labelling: Monomethylamine ... %

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H314 Causes severe skin burns and eye damage.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

Immediately call a  $ilde{\mathsf{POISON}}$  CENTER/doctor. P310

Monomethylamine ... % contains:

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Monomethylamine %	CAS No 74-89-5 EC No 200-820-0 Index No 612-001-01-6	40	Flam. Liq. 1 / H224 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a) GHS-HC

#### Notes

The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

United Kingdom (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Monomethylam- ine %	CAS No 74-89-5 EC No 200-820-0 Index No 612-001-01-6	STOT SE 3; H335: C ≥ 5 %	-	698 <sup>mg</sup> / <sub>kg</sub> 3.555 <sup>ppmv</sup> / <sub>4h</sub> 11 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: gas inhalation: va- pour

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

United Kingdom (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

United Kingdom (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Relevant DNELs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Monomethylamine %	74-89-5	DNEL	0,72 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Monomethylamine %	74-89-5	DNEL	0,427 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Monomethylamine %	74-89-5	DNEL	0,1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 6 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# Methylamine 40 % in water, for synthesis

article number: 1E51



short-term (single

instance)

short-term (single

instance)

short-term (single

instance)

#### Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** stance d level point compartment 0,016 <sup>mg</sup>/<sub>I</sub> Monomethylamine 74-89-5 **PNEC** aquatic organfreshwater short-term (single isms instance) $0,002 \frac{mg}{I}$ 74-89-5 **PNEC** Monomethylamine aquatic organmarine water short-term (single isms instance) 0,126 mg/1 Monomethylamine 74-89-5 **PNEC** sewage treatment short-term (single aquatic organ-... % plant (STP) instance) isms

aquatic organ-

isms

aquatic organ-

isms

terrestrial organ-

isms

freshwater sedi-

ment

marine sediment

soil

0,776 <sup>mg</sup>/

0,078 <sup>mg</sup>/

kg 0,126 <sup>mg</sup>/

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

**PNEC** 

**PNEC** 

**PNEC** 

74-89-5

74-89-5

74-89-5

#### **Eye/face protection**

Monomethylamine

... %

Monomethylamine

... %

Monomethylamine

... %





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)

United Kingdom (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ®

#### Methylamine 40 % in water, for synthesis

article number: 1E51

material thickness: >0,3 mm

• breakthrough times of the glove material: >120 minutes (permeation: level 4)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: K (against ammonia and organic ammonia derivatives, colour code: Green).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - colourless

Odour like ammonia

Melting point/freezing point -40 °C

Boiling point or initial boiling point and boiling

range

**Flammability** 

flammable liquid in accordance with GHS criteria

48 °C

Lower and upper explosion limit 4,9 vol% (LEL) - 20,7 vol% (UEL)

Flash point -18 °C

Auto-ignition temperature 430 °C

Decomposition temperature not relevant pH (value) 14 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility (soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 370 hPa at 20 °C

Density and/or relative density

Density  $0.9 \, \mathrm{g/_{cm^3}}$  at 20 °C

United Kingdom (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T2

Maximum permissible surface temperature on

There is no additional information.

the equipment: 300°C

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Acetylene, Aldehydes, Alcohols, Chlorine, Fluorine, Halogenated hydrocarbons, Mercury, Strong acid

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

copper, zinc, tin

#### Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Methylamine 40 % in water, for synthesis

article number: 1E51

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Harmful if swallowed. Harmful if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Monomethylamine %	74-89-5	oral	698 <sup>mg</sup> / <sub>kg</sub>
Monomethylamine %	74-89-5	inhalation: gas	3.555 <sup>ppmV</sup> / <sub>4h</sub>
Monomethylamine %	74-89-5	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Monomethylamine %	74-89-5	oral	LD50	698 <sup>mg</sup> / <sub>kg</sub>	rat
Monomethylamine %	74-89-5	inhalation: gas	LC50	7.110 ppmV/ 1h	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# Methylamine 40 % in water, for synthesis

article number: 1E51



#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

none

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Value	Species	Exposure time		
Monomethylamine %	74-89-5	EC50	163 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	

#### **Biodegradation**

Data are not available.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture							
Name of substance		CAS No	BCF	Log KOW	BOD5/COD		
	Monomethylamine %	74-89-5		-0,713 (25 °C)			

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

**ADRRID** 

**ICAO-TI** 

**IMDG-Code** 

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1 UN number or ID number

	ADRRID	UN 1235
	IMDG-Code	UN 1235
	ICAO-TI	UN 1235
14.2	UN proper shipping name	
	ADRRID	METHYLAMINE, AQUEOUS SOLUTION
	IMDG-Code	METHYLAMINE, AQUEOUS SOLUTION
	ICAO-TI	Methylamine, aqueous solution
14.3	Transport hazard class(es)	
	ADRRID	3 (8)
	IMDG-Code	3 (8)
	ICAO-TI	3 (8)
14.4	Packing group	

United Kingdom (en) Page 12 / 19

II

II

II

according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name METHYLAMINE, AQUEOUS SOLUTION

Particulars in the transport document UN1235, METHYLAMINE, AQUEOUS SOLUTION, 3

(8), II, (D/E)

Classification code FC
Danger label(s) 3+8





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 338
Emergency Action Code 2WE

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code 3

Danger label(s) 3+8





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 338

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name METHYLAMINE, AQUEOUS SOLUTION

Particulars in the shipper's declaration UN1235, METHYLAMINE, AQUEOUS SOLUTION, 3

(8), II, -18°C c.c.

Marine pollutant -

Danger label(s) 3+8

United Kingdom (en) Page 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51



Special provisions (SP)

Excepted quantities (EQ) F2 Limited quantities (LQ) 1 L

F-E, S-C **EmS** 

Stowage category Ε

Segregation group 18 - Alkalis

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Methylamine, aqueous solution

Particulars in the shipper's declaration UN1235, Methylamine, aqueous solution, 3 (8), II

Danger label(s)





Excepted quantities (EQ) E2 Limited quantities (LQ) 0,5 L

### **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

#### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Methylamine	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Monomethylamine %	flammable / pyrophoric		R40	40

#### Legend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
   Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,
- or both, if they:
   can be used as fuel in decorative oil lamps for supply to the general public, and

- present an aspiration hazard and are labelled with H304.
   Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

United Kingdom (en) Page 14 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### Legend

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
  decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes				
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)				

#### Notation

Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	40 % 784,9 <sup>g</sup> / <sub>I</sub>
-------------	---

#### **Industrial Emissions Directive (IED)**

VOC content		40 %
VOC content (Water cont	ent was discounted)	784,9 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### **Water Framework Directive (WFD)**

none of the ingredients are listed

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

Page 15 / 19 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS CSCL-ENCS DSL ECSI

Australian Inventory of Chemical Substances List of Existing and New Chemical Substances (CSCL-ENCS)

**IECSC** 

List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toyic Substance Control Act

NZIoC **PICCS** 

REACH Reg. TCSI

TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Methylamine 40 % in water, for synthesis

article number: 1E51



#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

United Kingdom (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Methylamine 40 % in water, for synthesis

article number: 1E51

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 19 / 19