
according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: **1HEK** Version: **1.0 en**

#### date of compilation: 2021-02-23

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

EC number CAS number 235-387-7

according to REACH (< 1 t/a).

1HEK

12208-13-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

General use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

**Potassium hexahydroxoantimonate(V)** ≥98 %

It is not required to list the identified uses because the substance is not subject to registration

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

	Name	Street	Postal code/city	Telephone	Website
Natior	nal Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)		Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)		Acute Tox. 4	H332
4.1C	4.1C Hazardous to the aquatic environment - chronic hazard		Aquatic Chronic 2	H411

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: **1HEK**

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

#### **Pictograms**

GHS07, GHS09



#### **Hazard statements**

H302+H332	Harmful if swallowed or if inhaled
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273	Avoid release to the environment
12/0	

Labelling of packages where the contents do not exceed 125 ml Signal word: Warning



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Potassium hexahydroxoantimonate(V)
Molecular formula	KSb(OH) <sub>6</sub>
Molar mass	262,9 <sup>g</sup> / <sub>mol</sub>
CAS No	12208-13-8
EC No	235-387-7

Specific Conc. Limits	M-Factors	ATE	Exposure route
		500 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

## Diarrhoea, Vomiting

# **4.3 Indication of any immediate medical attention and special treatment needed** none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Antimony compounds

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

article number: **1HEK** 

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Potassium hexahydroxoantimonate(V) ≥98 %



article number: **1HEK** 

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
GB	antimony compounds		WEL	0,5			Sb	EH40/2005
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

#### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur Inhalable fraction
r	Respirable fraction
Sb	Calculated as Sb (antimony)
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DN	Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	10 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	0,74 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	71,9 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

#### **Environmental values**

Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,224 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,024 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	5,51 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	24,2 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	4,84 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 1HEK

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	79,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

### Potassium hexahydroxoantimonate(V) ≥98 %



#### article number: **1HEK**

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties				
	Physical state	solid			
	Form	powder			
	Colour	white			
	Odour	odourless			
	Melting point/freezing point	>224 °C (ECHA)			
	Boiling point or initial boiling point and boiling range	not determined			
	Flammability	non-combustible			
	Lower and upper explosion limit	not determined			
	Flash point	not applicable			
	Auto-ignition temperature	not determined			
	Decomposition temperature	not relevant			
	pH (value)	7,5 – 9 (in aqueous solution: 20 <sup>g</sup> / <sub>l</sub> , 20 °C)			
	Kinematic viscosity	not relevant			
	Solubility(ies)				
	Water solubility	17,1 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)			
	Vapour pressure	not determined			
	Density	3,221 <sup>g</sup> / <sub>cm³</sub> at 20 °C			
	Particle characteristics	no data available			
	Other safety parameters				
	Oxidising properties	none			
9.2	Other information				
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant			
	Other safety characteristics:	There is no additional information.			

according to Regulation (EC) No. 1907/2006 (REACH)

#### Potassium hexahydroxoantimonate(V) ≥98 %



#### article number: **1HEK**

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### **10.2** Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

#### Violent reaction with: Acids

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

There is no additional information.

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/ mist	LC50	>5,4 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Potassium hexahydroxoantimonate(V) ≥98 %



#### article number: 1HEK

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

diarrhoea, vomiting, gastrointestinal complaints

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### **Other information**

This information is based upon the present state of our knowledge.

#### 11.2 Information on other hazards

There is no additional information.

#### **Endocrine disrupting properties**

Not listed.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Exposure time		
LC50	6,9 <sup>mg</sup> / <sub>l</sub>	fish	96 h		
ErC50	>36,6 <sup>mg</sup> / <sub>l</sub>	algae	72 h		
Aquatic toxicity (chronic)					
Endpoint	Value	Species	Exposure time		
EC50	3,82 <sup>mg</sup> /l	aquatic invertebrates	21 d		

#### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK

## 12.3 Bioaccumulative potential

Data are not available.

- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**


#### 14.1 UN number or ID number

	ADR/RID/ADN	UN 1549
	IMDG-Code	UN 1549
	ICAO-TI	UN 1549
14.2	UN proper shipping name	
	ADR/RID/ADN	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.
	IMDG-Code	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.
	ICAO-TI	Antimony compound, inorganic, solid, n.o.s.
	Technical name	Potassium hexahydroxoantimonate(V)

according to Regulation (EC) No. 1907/2006 (REACH)

#### Potassium hexahydroxoantimonate(V) ≥98 %

article number: **1HEK** 



#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code	Т5	
Danger label(s)	6.1, "Fish and tree"	
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)	
Special provisions (SP)	45, 274, 512, 802(ADN)	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	5 kg	
Transport category (TC)	2	
Tunnel restriction code (TRC)	E	
Hazard identification No	60	
Emergency Action Code	2Z	
International Maritime Dangerous Goods Code	(IMDG) - Additional information	
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)	
Danger label(s)	6.1, "Fish and tree"	
Special provisions (SP)	45, 274	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	5 kg	
EmS	F-A, S-A	

United Kingdom (en)



according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

article number: **1HEK** 

Stowage category	A				
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)				
Danger label(s)	6.1				
Special provisions (SP)	A12				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	10 kg				

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

## Restrictions according to REACH, Annex XVII

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list** Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### Deco-Paint Directive (2004/42/EC)

VOC content	0 % 0 <sup>g</sup> / <sub>l</sub>

#### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 g/I

# Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

# Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

#### article number: 1HEK

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium hexahydroxoantimon- ate(V)	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Potassium hexahydroxoantimon- ate(V)	Metals and their compounds		A)	

#### Legend A)

Indicative list of the main pollutants

## Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

# Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

#### Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

#### Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

#### National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

#### Legend

CSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaKECIKorea Existing Chemicals InventoryNZIOCNew Zealand Inventory of ChemicalsPICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

#### article number: **1HEK**

# **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (Europe Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hexahydroxoantimonate(V) ≥98 %

#### article number: **1HEK**

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.