according to Regulation (EC) No. 1907/2006 (REACH)





article number: **1HH7** Version: **1.0 en**

date of compilation: 2021-03-03

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1HH7

009-016-00-2

237-410-6 13775-53-6

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Index number in CLP Annex VI

EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

01-2119511565-43-xxxx

Sodium hexafluoroaluminate synthetic

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

| Section | Section Hazard class | | Hazard class and category | Hazard statement |
|---------|---|---|---------------------------|---------------------|
| 3.1I | 3.1I Acute toxicity (inhal.) | | Acute Tox. 4 | H332 |
| 3.9 | Specific target organ toxicity - repeated exposure | 1 | STOT RE 1 | H372 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

| H332 | Harmful if inhaled |
|------|--|
| H372 | Causes damage to organs through prolonged or repeated exposure |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

| P261 | Avoid breathing dust |
|------|----------------------------------|
| P273 | Avoid release to the environment |

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H372

Causes damage to organs through prolonged or repeated exposure.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

SECTION 3: Composition/information on ingredients

| 3.1 | Substances | | | |
|-----|-------------------|-------------------------------------|---------------|---|
| | Name of substance | Sodium hexaflu | uoroaluminate | |
| | Molecular formula | AIF_6Na_3 | | |
| | Molar mass | 209,9 ^g / _{mol} | | |
| | REACH Reg. No | 01-2119511565 | -43-xxxx | |
| | CAS No | 13775-53-6 | | |
| | EC No | 237-410-6 | | |
| | Index No | 009-016-00-2 | | |
| | | | A T.F. | E |

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|---------------------------------------|---------------------------|
| | | 4,47 ^{mg} / _l /4h | inhalation: dust/ mist |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m ³] | Nota- tion | Source |
|-------------|---------------|--------|-----------------|--------------------|---------------------|--|---------------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

STEL

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

- **Respirable fraction**
 - Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

| Human health values | | | | | | | | |
|---|------------------------|-------------------|-------------------|----------------------------|--|--|--|--|
| Relevant DNELs and other threshold levels | | | | | | | | |
| Endpoint | Exposure time | | | | | | | |
| DNEL | 99,8 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects | | | | |
| DNEL | 0,1 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects | | | | |
| DNEL | 99,8 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects | | | | |
| DNEL | 1.020 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects | | | | |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|--|--|--|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | | | | | |
| PNEC | 0,005 ^{mg} /l | aquatic organisms | freshwater | short-term (single instance) | | | | | |
| PNEC | 0 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | | | | |
| PNEC | 8,7 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | | | | |
| PNEC | 30,5 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | | | | |
| PNEC | 3,05 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | | | | |
| PNEC | 6,02 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | | | | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | solid |
|--|---|
| Form | powder, crystalline |
| Colour | colourless |
| Odour | odourless |
| Melting point/freezing point | 1.009 – 1.012 °C at 1.013 hPa (ECHA) |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | >1.000 °C |
| pH (value) | 5,5 – 7 (20 °C) (aqueous solution of the substance) |
| Kinematic viscosity | not relevant |
| <u>Solubility(ies)</u> Water solubility | 0,602 ^g / _l at 20 °C (ECHA) |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | not relevant (inorganic) |

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium hexafluoroaluminate synthetic

article number: 1HH7



| | Soil organic carbon/water (log KOC) | ≥2,8 – ≤3,8 (ECHA) |
|-----|---|--|
| | Vapour pressure | not determined |
| | Density | 2,95 ^g / _{cm³} at 20 °C |
| | Bulk density | 500 – 800 ^{kg} / _{m³} |
| | Particle characteristics | No data available. |
| | Other safety parameters | |
| | Oxidising properties | none |
| 9.2 | Other information | |
| | Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| | Other safety characteristics: | There is no additional information. |
| | | |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Release of an acute toxic gas: Sulphuric acid, concentrated, => Hydrogen fluoride

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >1.000 °C.

- **10.5 Incompatible materials** Strong alkali, Strong acid
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

| Acute toxicity | | | | | | | | |
|---------------------------|----------|---------------------------------------|---------|--------|--------|--|--|--|
| Exposure route | Endpoint | Value | Species | Method | Source | | | |
| oral | LD50 | >5.000 ^{mg} / _{kg} | rat | | ECHA | | | |
| inhalation: dust/ mist | LC50 | 4,47 ^{mg} / _l /4h | rat | | ECHA | | | |
| dermal | LD50 | >2.100 ^{mg} / _{kg} | rabbit | | ECHA | | | |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Data are not available.

Other information

Other adverse effects: Bone, Skeletal system

11.2 Endocrine disrupting properties

Not listed.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | |
|--------------------------|----------------------------------|-----------------------|---------------|--|
| Endpoint | Value | Species | Exposure time | |
| LC50 | 99 ^{mg} / _l | fish | 96 h | |
| EC50 | 156 ^{mg} / _l | aquatic invertebrates | 48 h | |
| ErC50 | 8,8 ^{mg} / _l | algae | 72 h | |
| | | | • | |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Exposure time |
|----------|-----------------------------------|----------------|---------------|
| EC50 | >160 ^{mg} / _l | microorganisms | 3 h |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

| The Organic Carbon normalised adsorption coefficient | ≥2,8 – ≤3,8 (ECHA) |
|--|--------------------|
|--|--------------------|

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties Not listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: **1HH7**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| 14.1 | UN number or ID number | |
|------|----------------------------|---|
| | ADR/RID/ADN | UN 3077 |
| | IMDG-Code | UN 3077 |
| | ICAO-TI | UN 3077 |
| 14.2 | UN proper shipping name | |
| | ADR/RID/ADN | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| | IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| | ICAO-TI | Environmentally hazardous substance, solid, n.o.s. |
| | Technical name | Sodium hexafluoroaluminate |
| 14.3 | Transport hazard class(es) | |
| | ADR/RID/ADN | 9 |
| | IMDG-Code | 9 |
| | ICAO-TI | 9 |
| 14.4 | Packing group | |
| | ADR/RID/ADN | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| | | |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: **1HH7**

- **14.5** Environmental hazards hazardous to the aquatic environment
- 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| Classification code | M7 |
|---|--|
| Danger label(s) | 9, "Fish and tree" |
| | |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | - |
| Hazard identification No | 90 |
| Emergency Action Code | 2Z |
| International Maritime Dangerous Goods Code | (IMDG) - Additional information |
| Marine pollutant | YES (hazardous to the aquatic environment), (Sodium hexa- fluoroaluminate) |
| Danger label(s) | 9, "Fish and tree" |
| | |
| Special provisions (SP) | 274, 335, 966, 967, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-F |
| Stowage category | A |
| International Civil Aviation Organization (ICAO | -IATA/DGR) - Additional information |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 9, "Fish and tree" |
| | |
| Special provisions (SP) | A97, A158, A179, A197 |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

| Excepted quantities (EQ) | E1 |
|--------------------------|-------|
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---|---|-------|
| Νο | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes |
| E2 | environmental hazards (hazardous to the aquatic en- vironment, cat. 2) | 200 500 | 57) |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive (2004/42/EC)

| VOC content | 0 % 0 ^g / _l |
|-------------|--------------------------------------|
| | |

Directive on industrial emissions (VOCs, 2010/75/EU)

| VOC content | 0 % |
|-------------|-------------------------------|
| VOC content | 0 ^g / _l |

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|----------------------------|----------------------------|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sodium hexafluoroaluminate | Metals and their compounds | | A) | |

Legend A)

Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors not listed

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AICS | substance is listed |
| СА | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| KR | KECI | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| Legenu | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| ATE | Acute Toxicity Estimate |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: 1HH7

| Abbr. | Descriptions of used abbreviations |
|-----------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium hexafluoroaluminate synthetic

article number: **1HH7**

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|---|
| H332 | Harmful if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.