
acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC



date of compilation: 2022-12-16

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Product identifier** 1.1

Identification of the substance

Article number

EC number

CAS number

Alternative name(s)

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses:

Uses advised against:

1,4-Diethylene dioxide

1,4-Dioxane ROTICHROM® GC

1YH1

204-661-8

123-91-1

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification acc. to GHS**

Section	tion Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6 Carcinogenicity		1B	Carc. 1B	H350

acc. to Regulation (EC) No. 1907/2006 (REACH)



### 1,4-Dioxane ROTICHROM® GC

#### article number: 1YH1

Section	ection Hazard class		Hazard class and category	Hazard statement	
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335	

#### Supplemental hazard information

Code	Supplemental hazard information
EUH019	may form explosive peroxides
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### Label elements 2.2

Labelling

**Signal word** Danger

#### **Pictograms**

GHS08



#### **Hazard statements**

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H350	May cause cancer

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P261	Avoid breathing mist/vapours/spray
P280	Wear protective gloves/eye protection/face protection

#### **Precautionary statements - response**

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

#### Supplemental hazard information

EUH019	May form explosive peroxides.
EUH066	Repeated exposure may cause skin dryness or cracking.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	1,4-Dioxane
Molecular formula	$C_4H_8O_2$
Molar mass	88,11 <sup>g</sup> / <sub>mol</sub>
CAS No	123-91-1
EC No	204-661-8

#### Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks					
1,4-Dioxane	123-91-1	204-661-8	Candidate list	Carc. A57a SEtHH. (57f-hh) SEtEnv. (57f- env)					

#### Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

#### list Carc. A57a Carcinogenic (article 57a)

SEtEnv. (57f- Equivalent level of concern having probable serious effects to the environment (article 57(f) - environment) env) SEtHH. (57f- Equivalent level of concern having probable serious effects to human health (article 57(f) - human health)

hh)

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: 1YH1

## **4.2 Most important symptoms and effects, both acute and delayed** Irritation, Cough, Dyspnoea, Headache, Vertigo, Nausea, Vomiting

**4.3 Indication of any immediate medical attention and special treatment needed** none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC



article number: **1YH1** 

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure. Avoid: Aerosol or mist formation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

high temperatures, direct light irradiation, contact with air/oxygen

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,4-Dioxane ROTICHROM® GC

article number: 1YH1

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	1,4-dioxane	123-91-1	IOELV	20	73						2009/ 161/EU
GB	1,4-dioxane	123-91-1	WEL	20	73						EH40/ 2005

Notation

STEL TWA

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNI	Relevant DNELs and other threshold levels									
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time						
DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects						
DNEL	144 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects						
DNEL	21 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects						

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- Threshold Org		Organism	Environmental com- partment	Exposure time		
PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,67 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	2.700 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	37 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,153 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

#### 8.2 **Exposure controls**

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### • material thickness

0,5 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### Environmental exposure controls

Keep away from drains, surface and ground water.



acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties		
	Physical state	liquid	
	Colour	colourless	
	Odour	like ether	
	Melting point/freezing point	11,8 – 11,9 °C (ECHA)	
	Boiling point or initial boiling point and boiling range	100,8 – 101,5 °C at 1.013 hPa (ECHA)	
	Flammability	flammable liquid in accordance with GHS criteria	
	Lower and upper explosion limit	1,7 vol% (LEL) - 25,2 vol% (UEL)	
	Flash point	11 °C at 1.013 hPa (ECHA)	
	Auto-ignition temperature	375 °C at 1.010 hPa (ECHA)	
	Decomposition temperature	not relevant	
	pH (value)	6 – 8 (in aqueous solution: 500 <sup>g</sup> / <sub>l</sub> , 20 °C)	
	Kinematic viscosity	1,27 <sup>mm²</sup> / <sub>s</sub> at 20 °C	
	Dynamic viscosity	1,32 mPa s at 20 °C	
	Solubility(ies)		
	Water solubility	1.000 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	-0,42 (ECHA)	
	Soil organic carbon/water (log KOC)	0 (ECHA)	
	Vapour pressure	41 hPa at 20 °C	
	Density and/or relative density		
	Density	1,03 <sup>g</sup> / <sub>cm³</sub> at 20 °C	
	Relative vapour density	1,08 at 20 °C (air = 1)	
	Particle characteristics	not relevant (liquid)	
	Other safety parameters		
	Oxidising properties	none	
9.2	Other information		
	Information with regard to physical hazard classes:	There is no additional information.	



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

Other safety characteristics:

Maximum explosion pressure

9,1 bar

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

**Danger of explosion:** Oxygen, Nitric acid, Perchlorates, **Exothermic reaction with:** Oxidisers, Sulphur trioxide, Acids

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct light irradiation. Contact with air/oxygen.

#### 10.5 Incompatible materials

different plastics, copper

#### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5. Release of: Peroxides.

# **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	5.150 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

#### article number: 1YH1

## Carcinogenicity

May cause cancer.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea, vertigo, headache

#### • If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

#### Other information

Other adverse effects: Liver and kidney damage

#### **11.2** Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint Value Speci		Species	Source	Exposure time
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	>1.000 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h



acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® Roth

### 1,4-Dioxane ROTICHROM® GC

article number: 1YH1

#### 12.2 Persistence and degradability

Process of degradability			
Process	Degradation rate	Time	
carbon dioxide generation	<5 %	60 d	
oxygen depletion	<10 %	29 d	

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,42 (ECHA)
BCF	0,3 – 0,7 (ECHA)

#### 12.4 Mobility in soil

Henry's law constant	0,486 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

#### Properties of waste which render it hazardous

- HP 3 flammable
- **HP 15** waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste
- **HP 4** irritant skin irritation and eye damage
- **HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 7 carcinogenic

SECTION 14: Transport info

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SEC	IION 14: Transport information	
14.1	UN number or ID number	
	ADRRID	UN 1165
	IMDG-Code	UN 1165
	ICAO-TI	UN 1165
14.2	UN proper shipping name	
	ADRRID	DIOXANE
	IMDG-Code	DIOXANE
	ICAO-TI	Dioxane
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: 1YH1

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information			
Proper shipping name	DIOXANE		
Particulars in the transport document	UN1165, DIOXANE, 3, II, (D/E)		
Classification code	F1		
Danger label(s)	3		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		
Transport category (TC)	2		
Tunnel restriction code (TRC)	D/E		
Hazard identification No	33		
Emergency Action Code	2YE		
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional		
Classification code	F1		
Danger label(s)	3		
3			
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		
Transport category (TC)	2		
Hazard identification No	33		
International Maritime Dangerous Goods Code	(IMDG) - Additional information		
Proper shipping name	DIOXANE		
Particulars in the shipper's declaration	UN1165, DIOXANE, 3, II, 11°C c.c.		
Marine pollutant	-		
Danger label(s)	3		
Special provisions (SP)	-		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		
EmS	F-E, S-D		
Stowage category	В		



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,4-Dioxane ROTICHROM® GC

article number: 1YH1



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Dioxane	
Particulars in the shipper's declaration	UN1165, Dioxane, 3, II	
Danger label(s)	3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	1 L	

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Seveso Directive

2012/	2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (t plication of lower a quirem		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	100 % 1.030 <sup>g</sup> / <sub>l</sub>	
-------------	--	--

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.030 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,4-Dioxane ROTICHROM® GC

#### article number: **1YH1**

г

	®
<u>s</u> , 111, 1	

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
1,4-Dioxane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend A)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

#### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
1,4-Dioxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
1,4-Dioxane	flammable / pyrophoric		40

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,4-Dioxane ROTICHROM® GC

#### article number: 1YH1

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

Legend	
AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
BCF	Bioconcentration factor	
Carc.	Carcinogenicity	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® §ROTH

## 1,4-Dioxane ROTICHROM® GC

#### article number: **1YH1**

Abbr.	Descriptions of used abbreviations	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
IOELV	Indicative occupational exposure limit value	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 1,4-Dioxane ROTICHROM® GC

article number: **1YH1** 

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.