acc. to Regulation (EC) No. 1907/2006 (REACH)

### **Diethyl malonate ≥99% for synthesis**

article number: 3070 date of compilation: 2019-02-28 Version: **2.0 en** Revision: 2022-06-29

Replaces version of: 2019-02-28

Version: (1)



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### **Product identifier** 1.1

Identification of the substance **Diethyl malonate** ≥99% for synthesis

Article number 3070

EC number 203-305-9 CAS number 105-53-3

### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Do not use for products which come into contact Uses advised against:

with foodstuffs. Do not use for private purposes

(household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

### 2.2 **Label elements**

United Kingdom (en) Page 1 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Diethyl malonate ≥99% for synthesis**

article number: 3070

### Labelling

Signal word Warning

### **Pictograms**

GHS07



### **Hazard statements**

H319 Causes serious eye irritation

### **Precautionary statements**

### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

### **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance Diethyl malonate

Molecular formula  $C_7H_{12}O_4$  Molar mass  $160,2\,^g/_{mol}$  CAS No 105-53-3 EC No 203-305-9

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom (en) Page 2 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

### **Diethyl malonate ≥99% for synthesis**

article number: 3070



### **Following skin contact**

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Conjunctival redness of the eyes, Conjunctival oedema (chemosis) of the eyes

# **4.3** Indication of any immediate medical attention and special treatment needed none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide ( $CO_2$ )

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.


### 6.3 Methods and material for containment and cleaning up

United Kingdom (en) Page 3 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Diethyl malonate ≥99% for synthesis**

article number: 3070



### Other information relating to spills and releases

patible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



### Advice on general occupational hygiene

### **Incompatible substances or mixtures**

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### Specific end use(s)

### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

### **Human health values**

United Kingdom (en) Page 4 / 14



Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Place in appropriate containers for disposal.

### Reference to other sections 6.4

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incom-

### 7.1 **Precautions for safe handling**



Keep away from sources of ignition - No smoking.

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### Conditions for safe storage, including any incompatibilities 7.2

Keep container tightly closed.

Observe hints for combined storage.

### Consideration of other advice:

### 7.3


No information available.

# SECTION 8: Exposure controls/personal protection

### 8.1 **Control parameters**

**National limit values** 

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 3070



Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	8,468 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	1,213 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	11,8 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)			
PNEC	1,18 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)			
PNEC	0,108 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	4,62 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0,924 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	8,557 <sup>µg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)			

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection





Use safety goggle with side protection.

### **Skin protection**





### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### type of material

Butyl caoutchouc (butyl rubber)

United Kingdom (en) Page 5 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

### **Diethyl malonate ≥99% for synthesis**

article number: 3070

### material thickness

0,5 mm

### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour odourless - mild sweet

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

197 °C at 1.008 hPa (ECHA)

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 90 °C (ECHA)

Auto-ignition temperature 435 °C (ECHA)

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity not determined

Solubility(ies)

Water solubility  $23,2^{9}/_{1}$  at 37 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,96 (ECHA)

Vapour pressure 0,36 hPa at 25 °C

United Kingdom (en) Page 6 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

## **Diethyl malonate ≥99% for synthesis**

article number: 3070

Density and/or relative density

Density  $1,055 \, {}^{\rm g}/{}_{\rm cm^3}$  at 20 °C (ECHA)

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Surface tension  $30,56 \, ^{\text{mN}}/_{\text{m}} (30 \, ^{\circ}\text{C}) (ECHA)$ 

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### 10.4 Conditions to avoid

UV-radiation/sunlight. Humidity. Oxygen.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Classification acc. to GHS

### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 7 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



### **Diethyl malonate ≥99% for synthesis**

article number: 3070

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	15.794 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>16.960 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

nausea

### • If in eyes

Causes serious eye irritation

### • If inhaled

causes slight to moderate irritation

### • If on skin

slightly irritant but not relevant for classification

### Other information

none

### 11.2 Endocrine disrupting properties

Not listed.

## 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 8 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



### **Diethyl malonate ≥99% for synthesis**

article number: 3070

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time
LC50	15,4 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	15,2 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
ErC50	>800 <sup>mg</sup> / <sub>I</sub>	algae	ECHA	72 h

### **Biodegradation**

The substance is readily biodegradable.

### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,598  $^{\rm mg}$ / $_{\rm mg}$  Theoretical Carbon Dioxide: 1,923  $^{\rm mg}$ / $_{\rm mg}$ 

### **Process of degradability**

Process	Degradation rate	Time
DOC removal	0 %	0 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,96 (ECHA)
---------------------------	-------------

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Not listed.

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

United Kingdom (en) Page 9 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Diethyl malonate ≥99% for synthesis**

article number: 3070



Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

**14.1 UN number or ID number** not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### **Seveso Directive**

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

United Kingdom (en) Page 10 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)



### **Diethyl malonate ≥99% for synthesis**

article number: 3070

### **Deco-Paint Directive**

VOC content 100 % 1.055 <sup>g</sup> / <sub>I</sub>
--

### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.055 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

**Water Framework Directive (WFD)** 

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

### Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Diethyl malonate	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 11 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

### **Diethyl malonate ≥99% for synthesis**

article number: 3070

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC
CSCL-ENCS
List of Existing and New Chemical Substances (CSCL-ENCS)
DSL
Domestic Substances List (DSL)
ECSI
ECSI
ECSU
Inventory of Existing Chemical Substances Produced or Imported in China
INSQ
National Inventory of Chemical Substances
KECI
Korea Existing Chemicals Inventory
NZIOC
New Zealand Inventory of Chemicals
PICCS
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI
Taiwan Chemical Substance
Toxic Substance Inventory
Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 12 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Diethyl malonate ≥99% for synthesis**

article number: 3070



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)

United Kingdom (en) Page 13 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



### **Diethyl malonate ≥99% for synthesis**

article number: 3070

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H319	Causes serious eye irritation.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14