acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095 Version: 3.0 en

Replaces version of: 2021-10-13

Version: (2)



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Formamide** ≥98 %, extra pure

Article number 4095

Index No (GB CLP) 616-052-00-8 EC number 200-842-0 CAS number 75-12-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

> with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

United Kingdom (en) Page 1 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095

#### Classification acc. to GHS



Section	on Hazard class		Hazard class and category	Hazard statement
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling

Signal word Danger

**Pictograms** 

GHS08



#### **Hazard statements**

H351 Suspected of causing cancer (if exposed)

H360FD May damage fertility. May damage the unborn child (if exposed)

H373 May cause damage to organs (blood) through prolonged or repeated exposure

(if swallowed)

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P201 Obtain special instructions before use P260 Do not breathe mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

#### 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 2 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Formamide

Molecular formula  $CH_3NO$ Molar mass  $45,02 \, ^9/_{mol}$ CAS No 75-12-7EC No 200-842-0Index No (GB CLP) 616-052-00-8

Substance of V	ery High Cond	cern (SVHC)
----------------	---------------	-------------

Name of substance	CAS No	EC No	Listed in	Remarks
Formamide	75-12-7	200-842-0	Candidate list	Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (article 57c)

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower.

# Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

# Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



# **SECTION 7: Handling and storage**

#### **Precautions for safe handling**

Provision of sufficient ventilation. Avoid exposure.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### Conditions for safe storage, including any incompatibilities 7.2

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	formamide	75-12-7	WEL	20	37	30	56				EH40/ 2005

#### Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA** 

#### **Human health values**

#### **Relevant DNELs and other threshold levels Endpoint Threshold Used** in Protection goal, **Exposure time** level route of exposure **DNEL** 6,66 mg/m<sup>3</sup> chronic - local effects human, inhalatory worker (industry) DNEL 6,6 mg/m<sup>3</sup> human, inhalatory worker (industry) chronic - systemic effects **DNEL** 0,952 mg/kg human, dermal worker (industry) chronic - systemic effects bw/day

United Kingdom (en) Page 5 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



#### **Environmental values**

### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
PNEC	0,5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1,26 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,151 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

# type of material

NBR (Nitrile rubber)

material thickness

≥0,3 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 6 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour like ammonia

Melting point/freezing point 2,6 °C (ECHA)

Boiling point or initial boiling point and boiling

range

**Flammability** 

218,3 °C at 1.013 hPa (ECHA)

this material is combustible, but will not ignite

readily

Lower and upper explosion limit 2,7 vol% (LEL) - 19 vol% (UEL) Flash point 152 °C at 1.013 hPa (ECHA)

Auto-ignition temperature >500 °C at 1.013 hPa (ECHA) (auto-ignition tem-

perature (liquids and gases))

Decomposition temperature >140 °C at 1.013 hPa (ECHA)

pH (value) 8 – 10 (in aqueous solution: 200 <sup>g</sup>/<sub>l</sub>, 20 °C)

Kinematic viscosity 3,331 mm²/s at 20 °C

Dynamic viscosity 3,764 mPa s at 20 °C

Solubility(ies)

Water solubility  $1.000 \, ^{9}/_{1}$  at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,82 (25 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,93 (ECHA)

Vapour pressure 1,001 hPa at 55,01 °C

Density and/or relative density

Density  $1,13 \, {}^{9}/_{cm^{3}}$  at 20 °C (ECHA)

Relative vapour density information on this property is not available

United Kingdom (en) Page 7 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095

ROTH

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Strong acid, Strong alkali, Hydrogen peroxide, => Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >140 °C at 1.013 hPa.

#### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin or if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	>21 <sup>mg</sup> / <sub>l</sub> /4h	rat	acute inhalation toxicity	
oral	LD50	5.325 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>3.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

United Kingdom (en) Page 8 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Suspected of causing cancer (if exposed).

#### **Reproductive toxicity**

May damage the unborn child (if exposed). May damage fertility (if exposed).

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	blood	if swallowed

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### Other information

Liver and kidney damage, Loss of righting reflex, and ataxia

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time	
LC50	6.569 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	>500 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	>500 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

#### **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	30 min

# 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 0,3554 mg/mg

Theoretical Oxygen Demand (with nitrification): 1,777 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 0,9775 <sup>mg</sup>/<sub>mg</sub>

#### **Biodegradation**

The substance is readily biodegradable.

#### **Process of degradability**

Process	Degradation rate	Time
biotic/abiotic	90 – 100 %	28 d
DOC removal	4 %	1 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,82 (25 °C) (ECHA)
---------------------------	----------------------

#### 12.4 Mobility in soil

Henry's law constant	0 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,93 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 10 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 7** carcinogenic

**HP 10** toxic for reproduction

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1 UN number or ID number	not subject to transport regulations
-----------------------------	--------------------------------------

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

United Kingdom (en) Page 11 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

# **Deco-Paint Directive**

VOC content	100 %
VOC content	1.130 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.130 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### **Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Formamide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

United Kingdom (en) Page 12 / 16

aquatic environment

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



#### **Regulation on drug precursors**

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

# Substance of Very High Concern (SVHC) acc. to GB REACH and HSE Name of substance CAS No Listed in Remarks Formamide 75-12-7 Candidate list Repr. A57c

#### Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (Article 57c)

# Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Formamide	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Formamide	toxic for reproduction		30

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed

United Kingdom (en) Page 13 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



Country	Inventory	Status
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Koras Existing Chemicals Inventory

AIIC CSCL-ENCS DSL ECSI IECSC INSQ KECI NCI Korea Existing Chémicals Inventory

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
REACH Reg.
Tolumn Chemical Substances

Taiwan Chemical Substance Inventory
Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information:  Not subject to ADR, RID and ADN.		yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list		yes

United Kingdom (en) Page 14 / 16

# **Safety data sheet Safety data sheet** acc. to Regulation (EC) No. 1907/2006 (REACH)

# Formamide ≥98 %, extra pure

article number: 4095



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1	VOC content: 100 % , 1.130 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 1.130 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table)	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United Kingdom (en) Page 15 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Formamide ≥98 %, extra pure

article number: 4095



Abbr.	Descriptions of used abbreviations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H351	Suspected of causing cancer (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H373	May cause damage to organs (blood) through prolonged or repeated exposure (if swallowed).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16