United Kingdom (en)

Sodium nitrite ≥ 98%, p.a., ACS

article number: **4411** Version: **3.0 en** Replaces version of: 2021-02-09 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| Identification of the substance | Sodium nitrite ≥ 98%, p.a., ACS |
|---------------------------------|--|
| Article number | 4411 |
| Registration number (REACH) | 01-2119471836-27-XXXX |
| Index number in CLP Annex VI | 007-010-00-4 |
| EC number | 231-555-9 |
| CAS number | 7632-00-0 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture



date of compilation: 2016-05-31 Revision: 2021-07-29

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 2.14 | Oxidising solid | 3 | Ox. Sol. 3 | H272 |
| 3.10 | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS03, GHS06, GHS09



Hazard statements

| H272 | May intensify fire; oxidiser |
|------|-------------------------------|
| H301 | Toxic if swallowed |
| H319 | Causes serious eye irritation |
| H400 | Very toxic to aquatic life |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking |
|------|---|
| P220 | Keep/store away from clothing/combustible materials |
| P264 | Wash thoroughly after handling |
| P273 | Avoid release to the environment |

Precautionary statements - response

| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor |
|----------------|---|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing |

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H301

Toxic if swallowed.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: **4411**

P264Wash thoroughly after handling.P301+P310IF SWALLOWED: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Sodium nitrite |
|-------------------|-------------------------------------|
| Molecular formula | NaNO ₂ |
| Molar mass | 68,99 ^g / _{mol} |
| REACH Reg. No | 01-2119471836-27-XXXX |
| CAS No | 7632-00-0 |
| EC No | 231-555-9 |
| Index No | 007-010-00-4 |
| | |

| Substance, Specific Conc. Limits, M-factors, ATE | | | | |
|--|-----------|-----------------------------------|----------------|--|
| Specific Conc. Limits | M-Factors | ATE | Exposure route | |
| - | - | 180 ^{mg} / _{kg} | oral | |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion


Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, The product is skin resorptive

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 4411

® §ROTH

Water, to which activated charcoal may be added.

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-------------|---------------|--------|-----------------|--------------------|---------------------|-------------------------------|---------------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

| Human health values | | | | |
|---|---------------------|------------------------------------|-------------------|----------------------------|
| Relevant DNELs and other threshold levels | | | | |
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 2 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 2 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | |
| PNEC | 0,005 ^{mg} / _l | aquatic organisms | water | intermittent release | |
| PNEC | 0,005 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | |
| PNEC | 0,006 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | |
| PNEC | 21 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | |
| PNEC | 0,019 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | |
| PNEC | 0,022 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | |
| PNEC | 0,001 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | solid |
|--|--|
| Form | crystalline |
| Colour | white |
| Odour | odourless |
| Melting point/freezing point | 271 °C at 1.013 hPa (ECHA) |
| Boiling point or initial boiling point and boiling range | 320 °C (slow decomposition) |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | >280 °C |
| pH (value) | 8 – 9 (in aqueous solution: 100 ^g / _l , 20 °C) |
| Kinematic viscosity | not relevant |
| Solubility(ies) | |
| Water solubility | 820 ^g / _l at 20 °C (ECHA) |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | -3,7 (OECD-107) not relevant (inorganic) |

Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411



| | Vapour pressure | not determined |
|---|---|---|
| | Density Relative vapour density | ~ 2,17 ^g / _{cm³} information on this property is not available |
| | Bulk density | $\sim 1.200 \text{ kg/}_{\text{m}^3}$ |
| | Particle characteristics | No data available. |
| | Other safety parameters | |
| | Oxidising properties | oxidiser |
| 2 | Other information | |
| | Information with regard to physical hazard classes: | There is no additional information. |
| | Other safety characteristics: | There is no additional information. |

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Combustible materials, **Violent reaction with:** Amines, Ammonia, Metal powder, Organic substances, Reducing agents, Acids, Cyanide

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >280 °C. Protect from moisture.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed.

Acute toxicity

| Exposure route | Endpoint | Value | Species | Method | Source |
|---------------------------|----------|---------------------------------------|---------|--------|--------|
| oral | LD50 | 180 ^{mg} / _{kg} | rat | | TOXNET |
| inhalation: dust/ mist | LC50 | 5,5 ^{mg} / _{kg} /4h | rat | | |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting, abdominal pain, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

Other information

This information is based upon the present state of our knowledge. The product is skin resorptive

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

| Aquatic toxicity (acute) | | | | | |
|--------------------------|-----------------------------------|-----------------------|--------|------------------|--|
| Endpoint | Value | Species | Source | Exposure time | |
| LC50 | 26,3 ^{mg} / _l | fish | ECHA | 96 h | |
| EC50 | 15,4 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | |
| ErC50 | >100 ^{mg} / _l | algae | ECHA | 72 h | |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|------------------------------------|-----------------------|--------|------------------|
| EC50 | 114,9 ^{mg} / _l | aquatic invertebrates | ECHA | 80 d |
| LC50 | >95,6 ^{mg} / _l | aquatic invertebrates | ECHA | 80 d |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | n-octanol/water (log KOW) | -3,7 (OECD-107) |
|--|---------------------------|-----------------|
|--|---------------------------|-----------------|

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties Not listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: **4411**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| 14.1 | UN number or ID number | |
|------|----------------------------|--------------------------------------|
| | ADR/RID/ADN | UN 1500 |
| | IMDG-Code | UN 1500 |
| | ICAO-TI | UN 1500 |
| 14.2 | UN proper shipping name | |
| | ADR/RID/ADN | SODIUM NITRITE |
| | IMDG-Code | SODIUM NITRITE |
| | ICAO-TI | Sodium nitrite |
| 14.3 | Transport hazard class(es) | |
| | ADR/RID/ADN | 5.1 (6.1) |
| | IMDG-Code | 5.1 (6.1) |
| | ICAO-TI | 5.1 (6.1) |
| 14.4 | Packing group | |
| | ADR/RID/ADN | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| 14.5 | Environmental hazards | hazardous to the aquatic environment |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

| Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional |
|---|
| information |

| Proper shipping name | SODIUM NITRITE |
|---|---|
| Particulars in the transport document | UN1500, SODIUM NITRITE, 5.1 (6.1), III, (E), envir- onmentally hazardous |
| Classification code | OT2 |
| Danger label(s) | 5.1+6.1, "Fish and tree" |
| | |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 56 |
| Emergency Action Code | 1Z |
| International Maritime Dangerous Goods Code | (IMDG) - Additional information |
| Proper shipping name | SODIUM NITRITE |
| Particulars in the shipper's declaration | UN1500, SODIUM NITRITE, 5.1 (6.1), III, MARINE POLLUTANT |
| Marine pollutant | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 5.1+6.1, "Fish and tree" |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-Q |
| Stowage category | A |
| Segregation group | 12 - Nitrites and their mixtures |

Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411



| International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | | | |
|--|---|--|--|
| Proper shipping name | Sodium nitrite | | |
| Particulars in the shipper's declaration | UN1500, Sodium nitrite, 5.1 (6.1), III | | |
| Environmental hazards | Yes (hazardous to the aquatic environment) | | |
| Danger label(s) | 5.1+6.1 | | |
| | | | |
| Excepted quantities (EQ) | E1 | | |
| Limited quantities (LQ) | 10 kg | | |

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15 1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Sodium nitrite | substances in tattoo inks and perman- ent make-up | | R75 | 75 |

Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight

egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight; (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than: (i) 0,1 % by weight, if the substance is used solely as a pH regulator; (ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g

(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight: (i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products"

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use (g) in the case of a substance for which a condition is specified in Countri (Maximum Content ation in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-tration equal to or greater than the concentration limit specified for that substance in that Appendix. 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-monly referred to as permanent make up, cosmetic tattooing micro-plaqing and micro-plaqmentation) with the aim of

monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

a. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the strictest 13 also falls within one or more of points (a) to (g) of paragraph 1, the strictest in Appendix 13 falls within one or more of points (a) to (g) of paragraph 1, the strictest is a substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a sub-

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥ 98%, p.a., ACS

* Roth

article number: 4411

Legend stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paraplication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification. 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7 Suppliers placing a mixture on the market for use for tattoging purposes shall ensure that after 4 January 2022 the 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up"; (b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im-purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation; (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below (a) the statement contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. 9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device. The requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)

| 2012/18/20 (32/230 111) | | | | | |
|-------------------------|---------------------------------------|---|-------|--|--|
| Νο | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes | | |
| P8 | oxidising liquids and solids | 50 200 | 55) | | |

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

| VOC content | 0 % | |
|-------------|-----|--|
| | | |

Industrial Emissions Directive (IED)

according to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ≥ 98%, p.a., ACS



article number: **4411**

| VOC content | 0 % |
|-------------|-----|
|-------------|-----|

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sodium nitrite | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | A) | |
| Sodium nitrite | Metals and their compounds | | A) | |

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AICS | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| МХ | INSQ | substance is listed |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

| Country | Inventory | Status |
|---------|-----------|---------------------|
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| Legena | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | AICS CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIOC PICCS REACH Reg. TCSI |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table) | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses. | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - prevention: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|--|--------------------------|
| 2.3 | | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |

according to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ≥ 98%, p.a., ACS

article number: 4411

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--------------------------------|
| H272 | May intensify fire; oxidiser. |
| H301 | Toxic if swallowed. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.