according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587 date of compilation: 2016-10-24 Version: 2.0 en Revision: 2022-02-07

Replaces version of: 2016-10-24

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Ammonium hexafluorosilicate ROTI®METIC

99,999 % (5N)

Article number 5587

Registration number (REACH) It is not required to list the identified uses be-

cause the substance is not subject to registration

according to REACH (< 1 t/a).

Index number in CLP Annex VI 009-012-00-0

EC number 240-968-3 CAS number 16919-19-0

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

Competent person responsible for the safety data :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: **5587**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS06



Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

United Kingdom (en) Page 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Ammonium hexafluorosilicate

Molecular formula $(NH_4)_2SiF_6$ Molar mass $178,2^{g}/_{mol}$ CAS No 16919-19-0EC No 240-968-3Index No 009-012-00-0

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	70 ^{mg} / _{kg} 300 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Corrosivity, Impairment of vision, Cardiovascular system

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 STEL

hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Physical state solid

Form powder, crystalline

Colour white

Odour characteristic

145 °C (slow decomposition) Melting point/freezing point

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined

145 °C Decomposition temperature

pH (value) not applicable not relevant Kinematic viscosity

Solubility(ies)

186 ^g/_l at 17 °C Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,357 (20 °C) (ECHA)

0,099 hPa at 20 °C Vapour pressure

Density and/or relative density

2,011 g/cm3 at 20 °C Density

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS

(physical hazards): not relevant

Other safety characteristics:

 $72,3^{\text{mN}}/_{\text{m}}$ (20 °C) (ECHA) Surface tension

United Kingdom (en) Page 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Light metals (e.g. aluminium and magnesium)

10.4 Conditions to avoid

Keep away from heat. May be corrosive to metals. Decompostion takes place from temperatures above: 145 °C.

10.5 Incompatible materials

glass, Material, containing silicate

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

_			•	• .
Λc	ute	tov	10	'14\/
\neg	ule	LUA	ıv	·ILV

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	70 ^{mg} / _{kg}	mouse		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom (en) Page 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

irritant effects

• If on skin

irritant effects

Other information

Cardiovascular system

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acu	ıte)			
Endpoint	Value	Species	Source	Exposure time
LC50	25,8 ^{mg} / _l	Pimephales promelas		96 h
EC50	35,4 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	≤19,6 ^{mg} / _l	algae	ECHA	72 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,357 (20 °C) (ECHA)
---------------------------	----------------------

United Kingdom (en) Page 9 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 2854
IMDG-Code UN 2854
ICAO-TI UN 2854

14.2 UN proper shipping name

ADR/RID/ADN AMMONIUM FLUOROSILICATE

IMDG-Code AMMONIUM FLUOROSILICATE

ICAO-TI Ammonium fluorosilicate

14.3 Transport hazard class(es)

ADR/RID/ADN 6.1
IMDG-Code 6.1
ICAO-TI 6.1

United Kingdom (en) Page 10 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

®

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

14.4	Pac	king	group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name AMMONIUM FLUOROSILICATE

Particulars in the transport document UN2854, AMMONIUM FLUOROSILICATE, 6.1, III,

(E)

Classification code T5
Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 2Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code 6.1

Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 2

Hazard identification No 60

United Kingdom (en) Page 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name AMMONIUM FLUOROSILICATE

Particulars in the shipper's declaration UN2854, AMMONIUM FLUOROSILICATE, 6.1, III

Marine pollutant Danger label(s) 6.1

Special provisions (SP) Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg **EmS** F-A, S-A

Stowage category Α

Segregation group 2 - Ammonium compounds

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Ammonium fluorosilicate

Particulars in the shipper's declaration UN2854, Ammonium fluorosilicate, 6.1, III

Danger label(s) 6.1



Excepted quantities (EQ) E1 Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list Not listed.

Seveso Directive

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer		Notes		
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)		

Notation

United Kingdom (en) Page 12 / 16

⁻ Category 2, all exposure routes - category 3, inhalation exposure route

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

Deco-Paint Directive

VOC content	0 % , 0 ^g / _I

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ammonium hexafluorosilicate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

United Kingdom (en) Page 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

CSCL-ENCS

DSL ECSI

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory **IECSC**

INSQ Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory

PICCS

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes

United Kingdom (en) Page 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	

United Kingdom (en) Page 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ROTI®METIC 99,999 % (5N)

article number: 5587

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H331	Toxic if inhaled.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16