

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: **7314**
Version: **2.0 en**
Replaces version of: 2016-10-24
Version: (1)

date of compilation: 2016-10-24
Revision: 2022-02-07

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

| | |
|---------------------------------|---|
| Identification of the substance | Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure |
| Article number | 7314 |
| Registration number (REACH) | 01-2120740166-59-xxxx |
| Index number in CLP Annex VI | 009-012-00-0 |
| EC number | 240-968-3 |
| CAS number | 16919-19-0 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: 7314

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-------------------------|-----------|---------------------------|------------------|
| 3.1O | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.1D | Acute toxicity (dermal) | 3 | Acute Tox. 3 | H311 |
| 3.1I | Acute toxicity (inhal.) | 3 | Acute Tox. 3 | H331 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger**

Pictograms

GHS06



Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

P261 Avoid breathing dust.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5\%$, extra pure

article number: 7314

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|-------------------------------|
| Name of substance | Ammonium hexafluorosilicate |
| Molecular formula | $(\text{NH}_4)_2\text{SiF}_6$ |
| Molar mass | 178,2 g/mol |
| REACH Reg. No | 01-2120740166-59-xxxx |
| CAS No | 16919-19-0 |
| EC No | 240-968-3 |
| Index No | 009-012-00-0 |

| Substance, Specific Conc. Limits, M-factors, ATE | | | |
|--|-----------|--------------------------------------|---|
| Specific Conc. Limits | M-Factors | ATE | Exposure route |
| - | - | 70 mg/kg 300 mg/kg 0,5 mg/l/4h | oral dermal inhalation: dust/ mist |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Corrosivity, Impairment of vision, Cardiovascular system

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: **7314**

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x), Hydrogen fluoride (HF)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: **7314**

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|--------|------------|--------------------------|---------------------------|--------------------------------|----------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| i | Inhalable fraction |
| r | Respirable fraction |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: 7314

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: **7314**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | solid |
| Form | powder, crystalline |
| Colour | white |
| Odour | characteristic |
| Melting point/freezing point | 145 °C (slow decomposition) |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | 145 °C |
| pH (value) | not applicable |
| Kinematic viscosity | not relevant |
| <u>Solubility(ies)</u> | |
| Water solubility | 186 g/l at 17 °C |
| <u>Partition coefficient</u> | |
| Partition coefficient n-octanol/water (log value): | 0,357 (20 °C) (ECHA) |
| Vapour pressure | 0,099 hPa at 20 °C |
| <u>Density and/or relative density</u> | |
| Density | 2,011 g/cm ³ at 20 °C |
| Relative vapour density | information on this property is not available |
| Particle characteristics | No data available. |
| <u>Other safety parameters</u> | |
| Oxidising properties | none |

9.2 Other information

| | |
|---|---|
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics: | |
| Surface tension | 72,3 mN/m (20 °C) (ECHA) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: **7314**

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Light metals (e.g. aluminium and magnesium)

10.4 Conditions to avoid

Keep away from heat. May be corrosive to metals. Decomposition takes place from temperatures above: 145 °C.

10.5 Incompatible materials

glass, Material, containing silicate

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

| Acute toxicity | | | | | |
|----------------|----------|----------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 70 mg/kg | mouse | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: 7314

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

irritant effects

• If on skin

irritant effects

• Other information

Cardiovascular system

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | |
|--------------------------|------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 25,8 mg/l | Pimephales promelas | | 96 h |
| EC50 | 35,4 mg/l | aquatic invertebrates | ECHA | 48 h |
| ErC50 | $\leq 19,6$ mg/l | algae | ECHA | 72 h |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|----------------------|
| n-octanol/water (log KOW) | 0,357 (20 °C) (ECHA) |
|---------------------------|----------------------|

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: **7314**

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-------------|---------|
| ADR/RID/ADN | UN 2854 |
| IMDG-Code | UN 2854 |
| ICAO-TI | UN 2854 |

14.2 UN proper shipping name

| | |
|-------------|-------------------------|
| ADR/RID/ADN | AMMONIUM FLUOROSILICATE |
| IMDG-Code | AMMONIUM FLUOROSILICATE |
| ICAO-TI | Ammonium fluorosilicate |

14.3 Transport hazard class(es)

| | |
|-------------|-----|
| ADR/RID/ADN | 6.1 |
| IMDG-Code | 6.1 |
| ICAO-TI | 6.1 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: 7314

14.4 Packing group

| | |
|-------------|-----|
| ADR/RID/ADN | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| | |
|---|--|
| Proper shipping name | AMMONIUM FLUOROSILICATE |
| Particulars in the transport document | UN2854, AMMONIUM FLUOROSILICATE, 6.1, III, (E) |
| Classification code | T5 |
| Danger label(s) | 6.1 |
|  | |
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 60 |
| Emergency Action Code | 2Z |

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

| | |
|---|----------|
| Classification code | 6.1 |
| Danger label(s) | 6.1 |
|  | |
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 2 |
| Hazard identification No | 60 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: 7314

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|---|
| Proper shipping name | AMMONIUM FLUOROSILICATE |
| Particulars in the shipper's declaration | UN2854, AMMONIUM FLUOROSILICATE, 6.1, III |
| Marine pollutant | - |
| Danger label(s) | 6.1 |



| | |
|--------------------------|------------------------|
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-A |
| Stowage category | A |
| Segregation group | 2 - Ammonium compounds |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|---|
| Proper shipping name | Ammonium fluorosilicate |
| Particulars in the shipper's declaration | UN2854, Ammonium fluorosilicate, 6.1, III |
| Danger label(s) | 6.1 |



| | |
|--------------------------|-------|
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 10 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)

| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
|----|---------------------------------------|---|-----|-------|
| H2 | acute toxic (cat. 2 + cat. 3, inhal.) | 50 | 200 | 41) |

Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: 7314

Deco-Paint Directive

| | |
|-------------|----------------|
| VOC content | 0 % , 0 g/l |
|-------------|----------------|

Industrial Emissions Directive (IED)

| | |
|-------------|-------|
| VOC content | 0 % |
| VOC content | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|-----------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Ammonium hexafluorosilicate | Substances which contribute to eutrophication (in particular, nitrates and phosphates) | | a) | |

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: 7314

| Country | Inventory | Status |
|---------|-----------|---------------------|
| AU | AICS | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| | |
|-----------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|--|-----------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table) | yes |
| 2.1 | Remarks: For full text of Hazard- and EU Hazard-statements: see SECTION 16. | | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate ≥98,5 %, extra pure

article number: 7314

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium hexafluorosilicate $\geq 98,5$ %, extra pure

article number: **7314**

| Abbr. | Descriptions of used abbreviations |
|----------|---|
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-----------------------------|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H331 | Toxic if inhaled. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.