acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTISOLV® HPLC

article number: **7331** Version: **4.0 en** Replaces version of: 2021-04-23 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Trichloromethane ROTISOLV® HPLC
Article number	7331
EC number	200-663-8
CAS number	67-66-3
Alternative name(s)	Chloroform

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Laboratory chemical

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

date of compilation: 2018-08-22 Revision: 2022-12-20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08



Hazard statements

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P202Do not handle until all safety precautions have been read and understoodP260Do not breathe mist/vapours/spray

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Trichloromethane ROTISOLV® HPLC

article number: 7331

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Trichloromethane
Molecular formula	CHCl ₃
Molar mass	119,4 ^g / _{mol}
CAS No	67-66-3
EC No	200-663-8

To stabilise:

Name of substance	Identifier	Wt%
Ethanol	CAS No 64-17-5	< 2,5
	EC No 200-578-6	
	Index No 603-002-00-5	

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits	M-Factors	ATE	Exposure route			
-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: vapour			

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: **7331**

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections 6.4

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	chloroform	67-66-3	IOELV	2	10					Н	2000/39/ EC
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Absorbed through the skin STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTISOLV® HPLC

article number: 7331

Notation TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	2,5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	333 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	2,5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	0,94 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,146 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,015 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	0,048 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	0,45 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0,09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	0,56 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM (fluoro rubber)

material thickness

≥0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Odour threshold	85 – 202 ppm
Melting point/freezing point	-63 °C
Boiling point or initial boiling point and boiling range	61 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined

acc. to Regulation (EC) No. 1907/2006 (REACH)



article	e number: 7331	
	Kinematic viscosity	0,38 ^{mm²} / _s at 20 °C
	Dynamic viscosity	0,56 mPa s at 20 °C
	Solubility(ies)	
	Water solubility	8,7 ^g / _l at 23 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	1,97 (25 °C) (Experimental data)
	Soil organic carbon/water (log KOC)	1,8 – 2,6 (ECHA)
	Vapour pressure	211 hPa at 20 °C
	Density and/or relative density	
	Density	1,48 ^g / _{cm³} at 20 °C
	Relative vapour density	4,25 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides, => Explosive properties

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different plastics, Rubber articles, Light metals

acc. to Regulation (EC) No. 1907/2006 (REACH)



124,7 ^{mg}/_l/4h

rat

Trichloromethane ROTISOLV® HPLC

article number: 7331

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Acute toxicity							
Exposure route	Endpoint	Value	Speci	es M	ethod	Source	
oral	LD50	908 ^{mg} / _{kg}	rat	rat		ECHA	
Acute toxicity of components of the mixture							
Name of su	ubstance	CAS No	Exposure route	Endpoint	Value	Species	
Ethar	nol	64-17-5	oral	LD50	10.470 ^{mg} / _{kg}	rat	

inhalation: va-

pour

LC50

Skin corrosion/irritation

Ethanol

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

64-17-5

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

• If in eyes

Causes serious eye irritation

• If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)							
Endpoint	Value	Species	Source	Exposure time			
EC50	152,5 ^{mg} / _l	aquatic invertebrates	ECHA	48 h			
ErC50	13,3 ^{mg} / _l	algae	ECHA	72 h			

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	15.400 ^{mg} / _l	fish	96 h
Ethanol	64-17-5	EC50	>10.000 ^{mg} / _l	aquatic invertebrates	48 h
Ethanol	64-17-5	ErC50	22.000 ^{mg} / _l	algae	96 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	0,48 ^{mg} / _l	microorganisms	ECHA	24 h

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

Aquatic toxicity (chronic) of components of the mixture							
Name of sub- stance							
Ethanol	64-17-5	LC50	1.806 ^{mg} / _l	aquatic invertebrates	10 d		
Ethanol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d		

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

Process of degradability						
Process	Degradation rate	Time				
biotic/abiotic	0 %	14 d				

Degradability of components of the mixture

-						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)			25 °C) (Experimental data)	
Bioaccumulative potential of components of th			ure	
Name of substance CAS No B			Log KOW	BOD5/COD
Ethanol	64-17-5		-0,31	0,6211

12.4 Mobility in soil

Henry's law constant	14.084 ^{Pa m³} / _{mol}
The Organic Carbon normalised adsorption coefficient	1,8 – 2,6 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties Not listed.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTISOLV® HPLC

article number: 7331

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 7 carcinogenic
- HP 10 toxic for reproduction

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 1888
	IMDG-Code	UN 1888
	ICAO-TI	UN 1888
14.2	UN proper shipping name	
	ADRRID	CHLOROFORM
	IMDG-Code	CHLOROFORM
	ICAO-TI	Chloroform
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Trich	loromethane ROTISOLV® HPLC	
article	e number: 7331	
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be co	
14.7	Maritime transport in bulk according to IMO in	struments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulation	ons
	Agreement concerning the International Carria information	ge of Dangerous Goods by Road (ADR)Additional
	Proper shipping name	CHLOROFORM
	Particulars in the transport document	UN1888, CHLOROFORM, 6.1, III, (E)
	Classification code	T1
	Danger label(s)	6.1
	Special provisions (SP)	802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	60
	Emergency Action Code	2Z
	Regulations concerning the International Carria information	age of Dangerous Goods by Rail (RID)Additional
	Classification code	Т1
	Danger label(s)	6.1
	Special provisions (SP)	802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	2
	Hazard identification No	60

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC

article number: 7331

International Maritime Dangerous Goods Code (IMDG) - Additional information			
Proper shipping name	CHLOROFORM		
Particulars in the shipper's declaration	UN1888, CHLOROFORM, 6.1, III		
Marine pollutant	-		
Danger label(s)	6.1		
*			
Special provisions (SP)	-		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 L		
EmS	F-A, S-A		
Stowage category	A		
Segregation group	10 - Liquid halogenated hydrocarbons		
International Civil Aviation Organization (IC/	AO-IATA/DGR) - Additional information		
Proper shipping name	Chloroform		
Particulars in the shipper's declaration	UN1888, Chloroform, 6.1, III		
Danger label(s)	6.1		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	2 L		

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

Seveso Directive

2012/	2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer	and upper-tier re-	Notes		
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)		

Notation

41) - Category 2, all exposure routes - category 3, inhalation exposure route

Deco-Paint Directive

VOC content	100 % 1.480 ^g / _l	
	1.100 /	ĺ

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTISOLV® HPLC

article number: 7331

Industrial Emissions Directive (IED)			
VOC content	100 %		
VOC content	1.480 ^g / _l		

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Γ

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)				
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)	
Trichloromethane	67-66-3		500	

Water Framework Directive (WFD)

ist of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Trichloromethane	trichloromethane (chloroform)	67-66-3	b)		
Trichloromethane	trichloromethane	67-66-3	c)		
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)		
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		

Legend A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC

article number: 7331

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Trichloromethane	chloroform	67-66-3	100	i(2)	b

Legend

b i(2)

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Trichloromethane	Chloroform	67-66-3	32	
Trichloromethane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Inventory	Status
AIIC	substance is listed
DSL	substance is listed
IECSC	substance is listed
ECSI	substance is listed
REACH Reg.	substance is listed
CSCL-ENCS	substance is listed
KECI	substance is listed
INSQ	substance is listed
NZIoC	substance is listed
PICCS	substance is listed
CICR	substance is listed
TCSI	substance is listed
TSCA	substance is listed as "ACTIVE"
	AIIC DSL DSL IECSC ECSI REACH Reg. CSCL-ENCS CSCL-ENCS KECI INSQ NZIOC PICCS CICR TCSI

Legend AIIC CICR

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Trichloromethane ROTISOLV® HPLC

article number: 7331

List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH registered substances Taiwan Chemical Substance Inventory
Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: T1	yes
14.8		Danger label(s): 6.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 60	yes
15.1	Restrictions according to REACH, Annex XVII		yes

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC

article number: 7331

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Trichloromethane ROTISOLV® HPLC



article number: 7331

Abbr.	Descriptions of used abbreviations	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTISOLV® HPLC

article number: 7331

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H351	Suspected of causing cancer.	
H361d	Suspected of damaging the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.