according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Trichloroacetic acid solution , p.a., 20 % in water

article number: **7437**Version: **2.0 en**date of compilation: 2016-01-21
Revision: 2021-09-10

Replaces version of: 2016-01-21

Version: (1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Trichloroacetic acid solution**, p.a., 20 % in wa-

ter

Article number 7437

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

| Name   | Street    | Postal code/city     | Telephone    | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information<br>Service<br>City Hospital | Dudley Rd | B187QH<br>Birmingham | 844 892 0111 |         |

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

United Kingdom (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

| Section                       | Hazard class  | Cat-<br>egory | Hazard class and category | Hazard<br>statement |
|-------------------------------|---|---------------|---------------------------|---------------------|
| 3.2 Skin corrosion/irritation |   | 1A            | Skin Corr. 1A             | H314                |
| 3.3                           | 3.3 Serious eye damage/eye irritation  3.8R Specific target organ toxicity - single exposure (respiratory tract irritation) |               | Eye Dam. 1                | H318                |
| 3.8R                          |   |               | STOT SE 3                 | H335                |
| 4.1C                          | Hazardous to the aquatic environment - chronic hazard   | 2             | Aquatic Chronic 2         | H411                |

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS07, GHS09





#### **Hazard statements**

H314 Causes severe skin burns and eye damage H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 Call a POİSON CENTRE/doctor if you feel unwell

Hazardous ingredients for labelling: Trichloroacetic acid

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)







H314 Causes severe skin burns and eye damage.

United Kingdom (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

contains: Trichloroacetic acid

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### SECTION 3: Composition/information on ingredients

#### **Substances** 3.1

not relevant (mixture)

Molecular formula  $C_2HCl_3O_2 + H_2O$ 

163,4 g/mol + H<sub>2</sub>O Molar mass

#### **Mixtures** 3.2

#### **Description of the mixture**

| Name of sub-<br>stance | Identifier  | Wt% | Classification acc. to<br>GHS  | Pictograms | Notes              |
|------------------------|---|-----|--|------------|--------------------|
| Trichloroacetic acid   | CAS No<br>76-03-9<br>EC No<br>200-927-2<br>Index No<br>607-004-00-7<br>REACH Reg. No<br>01-2119485186-<br>30-xxxx | 20  | Skin Corr. 1A / H314<br>STOT SE 3 / H335<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 1 / H410 | <u>*</u>   | GHS-HC<br>IARC: 2B |

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer) IARC: 2B:

| Name of sub-<br>stance | Identifier               | Specific Conc. Limits    | M-Factors | ATE | Exposure<br>route |
|------------------------|--------------------------|--------------------------|-----------|-----|-------------------|
| Trichloroacetic acid   | CAS No<br>76-03-9        | STOT SE 3; H335: C ≥ 1 % | -         | -   |                   |
|                        | EC No<br>200-927-2       |                          |           |     |                   |
|                        | Index No<br>607-004-00-7 |                          |           |     |                   |

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

# 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl)

United Kingdom (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437



#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

United Kingdom (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

## Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437



No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

This information is not available.

#### Relevant DNELs of components of the mixture

| Name of sub-<br>stance | CAS No End-<br>point |      | Threshol<br>d level  | Protection<br>goal, route of<br>exposure | Used in           | Exposure time                 |
|------------------------|----------------------|------|----------------------|--|-------------------|-------------------------------|
| Trichloroacetic acid   | 76-03-9              | DNEL | 1,41 mg/kg           | human, dermal                            | worker (industry) | acute - local ef-<br>fects    |
| Trichloroacetic acid   | 76-03-9              | DNEL | 124,3 mg/<br>m³      | human, inhalat-<br>ory                   | worker (industry) | chronic - systemic<br>effects |
| Trichloroacetic acid   | 76-03-9              | DNEL | 124,3 mg/<br>m³      | human, inhalat-<br>ory                   | worker (industry) | acute - systemic<br>effects   |
| Trichloroacetic acid   | 76-03-9              | DNEL | 1,41 mg/kg<br>bw/day | human, dermal                            | worker (industry) | chronic - systemic<br>effects |
| Trichloroacetic acid   | 76-03-9              | DNEL | 1,41 mg/kg<br>bw/day | human, dermal                            | worker (industry) | acute - systemic<br>effects   |

#### Relevant PNECs of components of the mixture

| Name of sub-<br>stance | CAS No  | End-<br>point         | Threshol<br>d level                | Organism               | Environmental compartment       | Exposure time                   |
|------------------------|---------|-----------------------|------------------------------------|------------------------|---------------------------------|---------------------------------|
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,000014<br>mg/ <sub>cm³</sub>     | unknown                | marine sediment                 | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,000017<br>mg/ <sub>cm³</sub>     | unknown                | marine water                    | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,0027 <sup>mg</sup> /<br>cm³      | unknown                | air                             | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | 3-9 PNEC 0,00014 unki |                                    | unknown                | freshwater sedi-<br>ment        | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,00017<br>mg/ <sub>cm³</sub>      | unknown                | freshwater                      | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 100 <sup>mg</sup> / <sub>cm³</sub> | unknown                | sewage treatment<br>plant (STP) | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,0046 <sup>mg</sup> /<br>cm³      | unknown                | soil                            | intermittent re-<br>lease       |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,17 <sup>µg</sup> / <sub>l</sub>  | aquatic organ-<br>isms | freshwater                      | short-term (single<br>instance) |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 0,017 <sup>µg</sup> / <sub>l</sub> | aquatic organ-<br>isms | marine water                    | short-term (single<br>instance) |
| Trichloroacetic acid   | 76-03-9 | PNEC                  | 2,7 <sup>µg</sup> / <sub>l</sub>   | aquatic organ-<br>isms | water                           | intermittent re-<br>lease       |

United Kingdom (en) Page 6 / 19



according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437

#### **Relevant PNECs of components of the mixture**

| Name of sub-<br>stance | CAS No  | End-<br>point                                 | Threshol<br>d level                 | Organism                   | Environmental compartment       | Exposure time                   |
|------------------------|---------|---|-------------------------------------|----------------------------|---------------------------------|---------------------------------|
| Trichloroacetic acid   | 76-03-9 | 76-03-9 PNEC 100 <sup>mg</sup> / <sub>I</sub> |                                     | aquatic organ-<br>isms     | sewage treatment<br>plant (STP) | short-term (single<br>instance) |
| Trichloroacetic acid   | 76-03-9 | PNEC  | 0,143 <sup>µg</sup> / <sub>kg</sub> | aquatic organ-<br>isms     | freshwater sedi-<br>ment        | short-term (single<br>instance) |
| Trichloroacetic acid   | 76-03-9 | PNEC  | 0,014 <sup>µg</sup> / <sub>kg</sub> | aquatic organ-<br>isms     | marine sediment                 | short-term (single<br>instance) |
| Trichloroacetic acid   | 76-03-9 | PNEC  | 4,6 <sup>µg</sup> / <sub>kg</sub>   | terrestrial organ-<br>isms | soil                            | short-term (single<br>instance) |

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - clear
Odour characteristic
Melting point/freezing point not determined
Boiling point or initial boiling point and boiling 100 °C at 1.013 hPa

range

Flammability non-combustible Lower and upper explosion limit not determined

Flash point >110 °C

Auto-ignition temperature 711 °C (anhydrous)

Decomposition temperature not relevant pH (value) <1 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 23 hPa at 20 °C

Density  $1,1 \text{ g/}_{\text{cm}^3}$  at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

United Kingdom (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

Oxidising properties none

9.2 Other information

Information with regard to physical hazard ha

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 450°C

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali hydroxide (caustic alkali), Amines, Strong alkali

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

different metals

#### Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437

#### Acute toxicity of components of the mixture

| Name of substance    | CAS No  | Exposure route | Endpoint | Value                               | Species |
|----------------------|---------|----------------|----------|-------------------------------------|---------|
| Trichloroacetic acid | 76-03-9 | oral           | LD50     | 3.320 <sup>mg</sup> / <sub>kg</sub> | rat     |

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

none

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

| Name of sub-<br>stance | CAS No  | Endpoint | Value                               | Species               | Exposure<br>time |
|------------------------|---------|----------|-------------------------------------|-----------------------|------------------|
| Trichloroacetic acid   | 76-03-9 | EC50     | 2.000 <sup>mg</sup> / <sub>l</sub>  | daphnia magna         | 48 h             |
| Trichloroacetic acid   | 76-03-9 | LC50     | >1.000 <sup>mg</sup> / <sub>l</sub> | orfe (Leuciscus idus) | 48 h             |
| Trichloroacetic acid   | 76-03-9 | LC50     | 2.000 <sup>mg</sup> / <sub>l</sub>  | Pimephales promelas   | 96 h             |

#### **Biodegradation**

Data are not available.

#### 12.2 Process of degradability

### Degradability of components of the mixture

| Name of substance       | CAS No  | Process        | Degrada-<br>tion rate | Time | Method | Source |
|-------------------------|---------|----------------|-----------------------|------|--------|--------|
| Trichloroacetic<br>acid | 76-03-9 | biotic/abiotic | 59 %                  | 20 d |        |        |

#### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

| Name of substance    | CAS No  | BCF | Log KOW | BOD5/COD |
|----------------------|---------|-----|---------|----------|
| Trichloroacetic acid | 76-03-9 |     | 1,33    |          |

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

#### **SECTION 14: Transport information**

| 14 1 | UN  | number | or ID | number |
|------|-----|--------|-------|--------|
| 17.1 | OIA | HUHHH  | טו זט | HUHHH  |

| ADR/RID/ADN | UN 2564 |
|-------------|---------|
| IMDG-Code   | UN 2564 |
| ICAO-TI     | UN 2564 |

#### 14.2 UN proper shipping name

| ADR/RID/ADN | TRICHLOROACETIC ACID SOLUTION |
|-------------|-------------------------------|
| IMDG-Code   | TRICHLOROACETIC ACID SOLUTION |

ICAO-TI Trichloroacetic acid solution

#### 14.3 Transport hazard class(es)

| ADR/RID/ADN | 8 |
|-------------|---|
| IMDG-Code   | 8 |
| ICAO-TI     | 8 |

#### 14.4 Packing group

| ADR/RID/ADN | II |
|-------------|----|
| IMDG-Code   | II |
| ICAO-TI     | II |

#### **14.5 Environmental hazards** hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment):

United Kingdom (en) Page 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437



Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name TRICHLOROACETIC ACID SOLUTION

Particulars in the transport document UN2564, TRICHLOROACETIC ACID SOLUTION, 8,

II, (E), environmentally hazardous

Classification code C3

Danger label(s) 8, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 80
Emergency Action Code 2X

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TRICHLOROACETIC ACID SOLUTION

Particulars in the shipper's declaration UN2564, TRICHLOROACETIC ACID SOLUTION, 8,

II, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment), (Trichloroacetic

acid)

Danger label(s) 8, "Fish and tree"





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

Segregation group 1 - Acids

United Kingdom (en) Page 13 / 19



according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Trichloroacetic acid solution

Particulars in the shipper's declaration UN2564, Trichloroacetic acid solution, 8, II

**Environmental hazards** yes (hazardous to the aquatic environment)

8 Danger label(s)



Special provisions (SP) **A3** Excepted quantities (EQ) E2 Limited quantities (LQ) 0,5 L

#### SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

none of the ingredients are listed

#### Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance             | Name acc. to inventory   | CAS No | Restriction | No |
|-------------------------------|--|--------|-------------|----|
| Trichloroacetic acid solution | this product meets the criteria for<br>classification in accordance with Reg-<br>ulation No 1272/2008/EC |        | R3          | 3  |

#### Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and - present an aspiration hazard and are labelled with H304.

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black

opaque containers not exceeding 1 litre by 1 December 2010.';

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

United Kingdom (en) Page 14 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



#### Trichloroacetic acid solution, p.a., 20 % in water

article number: 7437

#### **Seveso Directive**

| 2012/ | 18/EU (Seveso III)   |  |       |
|-------|--|--|-------|
| No    | Dangerous substance/hazard categories                                | Qualifying quantity (tonnes) for the ap<br>plication of lower and upper-tier re-<br>quirements | Notes |
| E2    | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200 500  | 57)   |

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### **Deco-Paint Directive**

| VOC content | 20 %<br>, 1.867 <sup>g</sup> / <sub>I</sub> |
|-------------|---|
|             |   |

#### **Industrial Emissions Directive (IED)**

| VOC content                                 | 20 %                              |
|---|-----------------------------------|
| VOC content                                 | 1.100 <sup>g</sup> / <sub>l</sub> |
| VOC content<br>Water content was discounted | 1.867 <sup>g</sup> / <sub>l</sub> |

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### **Water Framework Directive (WFD)**

| List of pollutants (WFD) |  |        |           |         |
|--------------------------|--|--------|-----------|---------|
| Name of substance        | Name acc. to inventory   | CAS No | Listed in | Remarks |
| Trichloroacetic acid     | Organohalogen compounds and<br>substances which may form such<br>compounds in the aquatic envir-<br>onment   |        | A)        |         |
| Trichloroacetic acid     | Substances and preparations, or<br>the breakdown products of such,<br>which have been proved to pos-<br>sess carcinogenic or mutagenic<br>properties or properties which<br>may affect steroidogenic, thyroid,<br>reproduction or other endocrine-<br>related functions in or via the<br>aquatic environment |        | A)        |         |

#### Legend

A) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

United Kingdom (en) Page 15 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

| Country | Inventory  | Status                     |
|---------|------------|----------------------------|
| AU      | AICS       | all ingredients are listed |
| CA      | DSL        | all ingredients are listed |
| CN      | IECSC      | all ingredients are listed |
| EU      | ECSI       | all ingredients are listed |
| EU      | REACH Reg. | all ingredients are listed |
| JP      | CSCL-ENCS  | all ingredients are listed |
| KR      | KECI       | all ingredients are listed |
| MX      | INSQ       | all ingredients are listed |
| NZ      | NZIoC      | all ingredients are listed |
| PH      | PICCS      | all ingredients are listed |
| TW      | TCSI       | all ingredients are listed |
| US      | TSCA       | all ingredients are listed |

#### Legend

AICS CSCL-ENCS Australian Inventory of Chemical Substances List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

DSL ECSI

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### **Chemical Safety Assessment** 15.2

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

#### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437



#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value)   | Actual entry (text/value)  | Safety-<br>relev-<br>ant |
|---------|---|--|--------------------------|
| 2.1     |   | Classification according to Regulation (EC) No<br>1272/2008 (CLP):<br>change in the listing (table)  | yes                      |
| 2.1     | Remarks:<br>For full text of Hazard- and EU Hazard-state-<br>ments: see SECTION 16. |  | yes                      |
| 2.1     |   | The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses. | yes                      |
| 2.2     |   | Pictograms:<br>change in the listing (table)   | yes                      |
| 2.2     |   | Precautionary statements - response:<br>change in the listing (table)  | yes                      |
| 2.2     |   | Labelling of packages where the contents do<br>not exceed 125 ml:<br>change in the listing (table)   | yes                      |
| 2.3     | Other hazards:<br>There is no additional information.                               | Other hazards  | yes                      |
| 2.3     |   | Results of PBT and vPvB assessment:<br>This mixture does not contain any substances<br>that are assessed to be a PBT or a vPvB.  | yes                      |

#### **Abbreviations and acronyms**

| Abbr.           | Descriptions of used abbreviations  |
|-----------------|---|
| ADN             | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga-<br>tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In-<br>land Waterways) |
| ADR             | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)   |
| ADR/RID/ADN     | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)   |
| Aquatic Acute   | Hazardous to the aquatic environment - acute hazard   |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard   |
| ATE             | Acute Toxicity Estimate   |
| BCF             | Bioconcentration factor   |
| BOD             | Biochemical Oxygen Demand   |
| CAS             | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| CLP             | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |

United Kingdom (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH)



### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437

| Abbr.       | Descriptions of used abbreviations  |
|-------------|---|
| COD         | Chemical oxygen demand  |
| DGR         | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL        | Derived No-Effect Level   |
| EC50        | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval  |
| EC No       | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS      | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS      | European List of Notified Chemical Substances   |
| EmS         | Emergency Schedule  |
| GHS         | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IARC        | International Agency for Research on Cancer   |
| IATA        | International Air Transport Association   |
| IATA/DGR    | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO        | International Civil Aviation Organization   |
| ICAO-TI     | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG        | International Maritime Dangerous Goods Code   |
| IMDG-Code   | International Maritime Dangerous Goods Code   |
| index No    | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008  |
| LC50        | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                                 |
| LD50        | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval  |
| log KOW     | n-Octanol/water   |
| NLP         | No-Longer Polymer   |
| PBT         | Persistent, Bioaccumulative and Toxic   |
| PNEC        | Predicted No-Effect Concentration   |
| REACH       | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID         | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-<br>tions concerning the International carriage of Dangerous goods by Rail)      |
| Skin Corr.  | Corrosive to skin   |
| Skin Irrit. | Irritant to skin  |
| STOT SE     | Specific target organ toxicity - single exposure  |
|             |   |
| SVHC        | Substance of Very High Concern  |
| SVHC        | Substance of Very High Concern  Volatile Organic Compounds  |

United Kingdom (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Trichloroacetic acid solution , p.a., 20 % in water

article number: 7437

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text  |
|------|---|
| H314 | Causes severe skin burns and eye damage.              |
| H318 | Causes serious eye damage.                            |
| H335 | May cause respiratory irritation.                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 19 / 19