
according to Regulation (EC) No. 1907/2006 (REACH)

2-Methylfuran ≥99 %, for synthesis





SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **2-Methylfuran** ≥99 %, for synthesis

Article number 7470

Registration number (REACH)

It is not required to list the identified uses be-

cause the substance is not subject to registration

according to REACH (< 1 t/a).

EC number 208-594-5
CAS number 534-22-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

United Kingdom (en) Page 1 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Section	Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS06





H225 Highly flammable liquid and vapour

H301 Toxic if swallowed H330 Fatal if inhaled

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P233 Keep container tightly closed

Precautionary statements - response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 Call a POISON CENTRE/doctor if you feel unwell

Labelling of packages where the contents do not exceed 125 $\,\mathrm{ml}$

Signal word: Danger

Symbol(s)





H301 Toxic if swallowed. H330 Fatal if inhaled.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

United Kingdom (en) Page 2 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

2-Methylfuran ≥99 %, for synthesis

article number: 7470

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 2-Methylfuran

Molecular formula C₅H₆O

Molar mass 82,1 g/_{mol}

CAS No 534-22-5

EC No 208-594-5

To stabilise:

Name of substance	Identifier	Wt%
Butylated hydroxytoluene	CAS No 128-37-0 EC No	0,01
	204-881-4	

Substance, Specific Conc. Limits, M-factors, ATE

S	ipecific Conc. Limits	M-Factors	ATE	Exposure route
	-	-	167 ^{mg} / _{kg} 1,68 ^{mg} / _l /4h	oral inhalation: vapour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

United Kingdom (en) Page 3 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

2-Methylfuran ≥99 %, for synthesis

article number: 7470

4.2 Most important symptoms and effects, both acute and delayed

Headache, Cough, Nausea, Irritant effects, Spasms, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

United Kingdom (en) Page 4 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

2-Methylfuran ≥99 %, for synthesis

article number: 7470

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 5 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 7470



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Butylated hydroxy- toluene	128-37-0	DNEL	19 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Butylated hydroxy- toluene	128-37-0	DNEL	18 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Butylated hydroxy- toluene	128-37-0	DNEL	3,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Butylated hydroxy- toluene	128-37-0	DNEL	0,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Butylated hydroxy- toluene	128-37-0	PNEC	8,33 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	1,99 ^{µg} / _I	aquatic organ- isms	water	intermittent re- lease
Butylated hydroxy- toluene	128-37-0	PNEC	0,199 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	0,02 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	0,17 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	99,6 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	9,96 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Butylated hydroxy- toluene	128-37-0	PNEC	47,69 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

United Kingdom (en) Page 6 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

PE: polyethylene

material thickness

≥0,5 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)

• material thickness: 0,4 mm

• breakthrough times of the glove material: >30 minutes (permeation: level 2)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - colourless - light yellow

Odour like ether
Odour threshold 26,4 ppm

Melting point/freezing point -89 °C

United Kingdom (en) Page 7 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

®

2-Methylfuran ≥99 %, for synthesis

article number: 7470

Boiling point or initial boiling point and boiling 63 – 66 °C at 1.013 hPa

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point -27 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant
pH (value) not determined

Kinematic viscosity 4,396 $^{\text{mm}^2}$ /s at 20 °C

Solubility(ies)

Water solubility $3 \, {}^{9}/_{1}$ at 20 ${}^{\circ}$ C

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,85 (exp. TOXNET)

Vapour pressure 139 hPa at 20 °C

Density and/or relative density

Density $0.91 \, \mathrm{g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

classes:

Information with regard to physical hazard There is no additional information.

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 8 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

2-Methylfuran ≥99 %, for synthesis

article number: 7470

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Amines, Strong alkali, Strong acid, Isocyanates

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Fatal if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	1,68 ^{mg} / _l /4h	rat		
oral	LD50	167 ^{mg} / _{kg}	rat		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Butylated hydroxytoluene	128-37-0	oral	LD50	>6.000 ^{mg} / _{kg}	rat
Butylated hydroxytoluene	128-37-0	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom (en) Page 9 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

causes slight to moderate irritation

• If inhaled

headache, irritant effects, cough, Dyspnoea

If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Other adverse effects: Central nervous system, Liver and kidney damage, Blood pressure drop, Spasms

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture Exposure time Name of sub-**CAS No Endpoint Value Species** stance Butylated hydroxy-128-37-0 LC50 >0,57 ^{mg}/_I fish 96 h toluene 0,48 mg/_I Butylated hydroxy-128-37-0 EC50 aquatic invertebrates 48 h toluene 128-37-0 >0.4 ^{mg}/₁ Butylated hydroxy-ErC50 72 h algae toluene

Aquatic toxicity (chronic) of components of the mixture Name of sub-Exposure **Endpoint CAS No** Value **Species** time stance 0,096 mg/_I Butylated hydroxy-128-37-0 EC50 aquatic invertebrates 21 d toluene

Biodegradation

Data are not available.

United Kingdom (en) Page 10 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

12.2 Process of degradability

Theoretical Oxygen Demand: $2,338 \, ^{mg}/_{mg}$ Theoretical Carbon Dioxide: $2,68 \, ^{mg}/_{mg}$

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Butylated hy- droxytoluene	128-37-0	biotic/abiotic	<10 %	20 d		

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

p. TOXNET)

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butylated hydroxytoluene	128-37-0	598,4	5,1	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 11 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

2-Methylfuran ≥99 %, for synthesis

article number: 7470

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 2301
IMDG-Code UN 2301
ICAO-TI UN 2301

14.2 UN proper shipping name

ADR/RID/ADN 2-METHYLFURAN IMDG-Code 2-METHYLFURAN ICAO-TI 2-Methylfuran

14.3 Transport hazard class(es)

ADR/RID/ADN 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADR/RID/ADN II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name 2-METHYLFURAN

Particulars in the transport document UN2301, 2-METHYLFURAN, 3, II, (D/E)

Classification code F1
Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E

United Kingdom (en) Page 12 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Hazard identification No 33 **Emergency Action Code** 3YE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name 2-METHYLFURAN

Particulars in the shipper's declaration UN2301, 2-METHYLFURAN, 3, II, -27°C c.c.

Marine pollutant Danger label(s) 3



Special provisions (SP) Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L **EmS** F-E, S-D

Ε Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name 2-Methylfuran

Particulars in the shipper's declaration UN2301, 2-Methylfuran, 3, II

Danger label(s)



Excepted quantities (EQ) E2 1 L Limited quantities (LQ)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No			
2-Methylfuran	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3			
2-Methylfuran	flammable / pyrophoric		R40	40			

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

United Kingdom (en) Page 13 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

2-Methylfuran ≥99 %, for synthesis

article number: 7470

Legend

can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN).

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packbefore the placing on the market, that the following require aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil oniows. Neep lamps lined with this induit of the reach of children"; and, by 1 December 2010, "Just a sip of lamp of or even sucking the wick of lamps – may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

1. Shall not be used, as substance or as mixtures in page and dispages where these pages of the supply in the page of the supply in the page of the supply and independent the supply in the page of the supply in the supply in the supply in the supply and independent the supply in the supp

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,'whoopee' cushions,
- silly string aerosols, imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

- Category 2, all exposure routes

category 3, inhalation exposure route

Deco-Paint Directive

VOC content	100 % , 910 ⁹ / _I
-------------	--

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	910 ⁹ / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Page 14 / 17 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

2-Methylfuran ≥99 %, for synthesis

article number: 7470

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CSCL-ENCS DSL Australian Inventory of Chemical Substances List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI ECSI Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

United Kingdom (en) Page 15 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Legend

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement conce ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	

United Kingdom (en) Page 16 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



2-Methylfuran ≥99 %, for synthesis

article number: 7470

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H330	Fatal if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17