according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81 date of compilation: 2018-05-03 Version: 3.0 en Revision: 2022-01-11

Replaces version of: 2020-10-06

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Cyclohexane** ROTISOLV® ≥99,9 %, UV/IR-Grade

Article number CP81

Registration number (REACH) 01-2119463273-41-xxxx

Index number in CLP Annex VI 601-017-00-1 EC number 203-806-2 CAS number 110-82-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

United Kingdom (en) Page 1 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS08, GHS09









Hazard statements

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking P273 Avoid release to the environment

Precautionary statements - response

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting P302+P352 IF ON SKIN: Wash with plenty of soap and water

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

United Kingdom (en) Page 2 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Symbol(s)









H304

May be fatal if swallowed and enters airways.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Cyclohexane

Molecular formula C_6H_{12}

Molar mass 84,16 g/_{mol}

REACH Reg. No 01-2119463273-41-xxxx

CAS No 110-82-7
EC No 203-806-2
Index No 601-017-00-1

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Gastrointestinal complaints, Vomiting, Aspiration hazard, Vertigo, Drowsiness, Dizziness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 4 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 5 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81



SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	cyclohexane	110-82-7	IOELV	200	700						2006/15/ EC
GB	cyclohexane	110-82-7	WEL	100	350	300	1.050				EH40/ 2005

Notation

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	700 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	1.400 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects	
DNEL	DNEL 700 mg/m³ human, inhalatory		worker (industry)	chronic - local effects	
DNEL	1.400 mg/m³	human, inhalatory	worker (industry)	acute - local effects	
DNEL	2.016 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

Environmental values

Relevant PNECs and other threshold levels

End- point			Environmental com- partment	Exposure time			
PNEC	0,207 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,207 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	EC 3,24 ^{mg} / _l aquatic organisms		sewage treatment plant (STP)	short-term (single instance)			
PNEC	16,68 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	16,68 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	3,38 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

United Kingdom (en) Page 6 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless Odour mild sweet 6-7°C Melting point/freezing point

Boiling point or initial boiling point and boiling 80 - 81 °C

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 1,3 vol% (LEL) - 8,4 vol% (UEL) -20 °C at 1.014 hPa (ECHA) Flash point

Auto-ignition temperature 260 °C (ECHA) Decomposition temperature not relevant not determined pH (value) 1,26 mm²/_s at 20 °C

Kinematic viscosity

Solubility(ies)

Water solubility <0,1 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): 3,44 (pH value: 7, 25 °C) (ECHA)

Soil organic carbon/water (log KOC) 2,89 (ECHA)

Vapour pressure 124 hPa at 24 °C

Density and/or relative density

0,78 ^g/_{cm³} at 20 °C Density

Relative vapour density 2,91 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

> There is no additional information. Information with regard to physical hazard

classes:

United Kingdom (en) Page 8 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

Т3

Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Nitrogen oxides (NOx)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 ^{mg} / _{kg}	rat		ECHA
inhalation: vapour	LC50	>32.880 ^{mg} / _{m³} /4h	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom (en) Page 9 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints, nausea, vomiting, aspiration hazard

• If in eyes

essentially non-irritating

• If inhaled

irritant effects, vertigo, dizziness, fatigue, narcosis

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
LC50	4,53 ^{mg} / _l	fish	ECHA	96 h		
EC50	0,9 ^{mg} / _l	aquatic invertebrates	ECHA	48 h		
ErC50	9,317 ^{mg} / _l	algae	ECHA	72 h		

United Kingdom (en) Page 10 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Biodegradation

Data are not available.

12.2 Process of degradability

Theoretical Oxygen Demand: $3,422 \frac{mg}{mg}$ Theoretical Carbon Dioxide: $3,138 \frac{mg}{mg}$

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	77 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	3,44 (pH value: 7, 25 °C) (ECHA)
BCF	167 (ECHA)

12.4 Mobility in soil

Henry's law constant	14.900 Pa m³/ _{mol} at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	2,89 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

United Kingdom (en) Page 11 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1145 IMDG-Code UN 1145 ICAO-TI UN 1145

14.2 UN proper shipping name

ADR/RID/ADN CYCLOHEXANE
IMDG-Code CYCLOHEXANE
ICAO-TI Cyclohexane

14.3 Transport hazard class(es)

ADR/RID/ADN 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADR/RID/ADN II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name CYCLOHEXANE

Particulars in the transport document UN1145, CYCLOHEXANE, 3, II, (D/E), environment-

ally hazardous

Classification code F

Danger label(s) 3, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E2

United Kingdom (en) Page 12 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 33

Emergency Action Code 3YE

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CYCLOHEXANE

Particulars in the shipper's declaration UN1145, CYCLOHEXANE, 3, II, -20°C c.c., MARINE

POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 3, "Fish and tree"





Special provisions (SP)
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category E

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Cyclohexane

Particulars in the shipper's declaration UN1145, Cyclohexane, 3, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous su	bstances with	n restrictions	(REACH, A	Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cyclohexane	cyclohexane	110-82-7	R57	57
Cyclohexane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3

United Kingdom (en) Page 13 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cyclohexane	flammable / pyrophoric		R40	40
Cyclohexane	substances in tattoo inks and permanent make-up		R75	75

Legend

R3

1. Shall not be used in:

ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black

opaque containers not exceeding 1 litre by 1 December 2010.

R40 Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,
- silly string aerosols, - imitation excrement,
- horns for parties,decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of neoprene-based contact adhesives in concentrations equal to or greater than 0,1 % by weight in package R57 sizes greater than 350 g.

sizes greater than 350 g.

2. Neoprene-based contact adhesives containing cyclohexane and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.

3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that neoprene-based contact adhesives containing cyclohexane in concentrations equal to or greater than 0,1 % by weight that are placed on the market for supply to the general public after 27 December 2010 are visibly, legibly and indelibly marked as follows:

1. This product is not to be used under conditions of poor ventilation.

2. This product is not to be used for carnet laving.

This product is not to be used for carpet laying.'.

Page 14 / 20 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category

1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator

(ií) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the

mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-

(n) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

as also falls within one of more of points (a) to (g) of paragraph 1, the concentration limit faid down in point (ii) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that now or revised classification in fifty the date referred to in paragraph 1 or as the case may be paragraph. plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the

amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

tion limit specified in Appendix 13

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-

graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Legend

9. This entry does not apply to substances that are gases at temperature of 20 $^{\circ}$ C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 $^{\circ}$ C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012	2012/18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	100 % , 780 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	780 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

United Kingdom (en) Page 16 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS DSL ECSI IECSC

CSCL-ENCS
DSL
Domestic Substances List (DSL)
ECSI
ECSI
ECSC
Inventory of Existing Chemical Substances Produced or Imported in China
INSQ
ISHA-ENCS
INVENTORY of Existing and New Chemical Substances
ISHA-ENCS
KECI
Norea Existing Chemicals Inventory
NZIOC
NZIOC
PICCS
PICCS
PHIlippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
REACH registered substances
TCSI
Taiwan Chemical Substances (PICCS)

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

15.2 **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 17 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Narcotic effects.	The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

United Kingdom (en) Page 18 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

EmS Emergency Schedule ErC50	Abbr.	Descriptions of used abbreviations
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code Internation Sole the LCSO corresponds to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PPREC Predicted No-Effect Concentration PPREC Predicted No-Effect Concentration PPREC Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferrovalire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	EmS	Emergency Schedule
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	ErC50	
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code International Civil Aviatime Dangerous Goods Code International Civil Aviatime Dangerous International Civil Aviatime Dangerous International Civil Aviatime Dangerous Goods Substance Causing 50 Maritime Dangerous Goods International Civil Aviatime Dangerous Goods International Civil Aviatime Dangerous Goods Dangerous Goods by Rail) International Civil Aviatime Dangerous Goods Code International Civil Aviatime Dangerous Goods Dangerous Goods by Rail) International Civil Aviatime Dangerous Goods Dangerous Goods by Rail Civil Civil Aviatime Dangerous Goods Dangerous Goods by Rail Civil Ci	GHS	
ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IATA	International Air Transport Association
ICAO-TI ITECHNICAL INSTRUCTIONS for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (E(C) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SWHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	ICAO	International Civil Aviation Organization
International Maritime Dangerous Goods Code Index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Vevy Persistent and very Bioaccumulative	ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds Vevy Bersistent and very Bioaccumulative	IMDG	International Maritime Dangerous Goods Code
IOELV Indicative occupational exposure limit value LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	IMDG-Code	International Maritime Dangerous Goods Code
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	IOELV	Indicative occupational exposure limit value
LEL Lower explosion limit (LEL) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
PREC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	LEL	Lower explosion limit (LEL)
PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	NLP	No-Longer Polymer
ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	PBT	Persistent, Bioaccumulative and Toxic
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	PNEC	Predicted No-Effect Concentration
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	ppm	Parts per million
STEL Short-term exposure limit SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC Substance of Very High Concern TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	RID	
TWA Time-weighted average UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	STEL	Short-term exposure limit
UEL Upper explosion limit (UEL) VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	SVHC	Substance of Very High Concern
VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	TWA	Time-weighted average
vPvB Very Persistent and very Bioaccumulative	UEL	Upper explosion limit (UEL)
	VOC	Volatile Organic Compounds
WEL Workplace exposure limit	vPvB	Very Persistent and very Bioaccumulative
	WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 19 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Cyclohexane ROTISOLV® ≥99,9 %, UV/IR-Grade

article number: CP81

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20