according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299 date of compilation: 2015-11-04 Version: **1.1 en** Revision: 2021-01-29

Replaces version of: 2015-11-04

Version: (1)



Product identifier 1.1

Identification of the substance **Ammonium nitrate** ≥98 %, p.a., ACS

Article number K299

Registration number (REACH) 01-2119490981-27-xxxx

EC number 229-347-8 CAS number 6484-52-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	3	Ox. Sol. 3	H272
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 16



according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Warning

Pictograms

GHS03, GHS07



Hazard statements

H272 May intensify fire; oxidiser H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P220 Keep/store away from combustible materials

P280 Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due

to the risk of explosion

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Ammonium nitrate

Molecular formula NH_4NO_3 Molar mass $80,04 \, {}^g/_{mol}$

REACH Reg. No 01-2119490981-27-xxxx

CAS No 6484-52-2

United Kingdom (en) Page 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

EC No 229-347-8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

Ammonia (NH3), Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Control of effects

Protect against external exposure, such as

humidity, UV-radiation/sunlight, direct light irradiation

Consideration of other advice

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



article number: K299



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Human health values

Relevant DNI	Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	36 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	5,12 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects				

Environmental values

Relevant	Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental compartment	Exposure time				
PNEC	18 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

United Kingdom (en) Page 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline
Colour colourless
Odour odourless

Melting point/freezing point 169 °C at 1.013 hPa Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined

Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >180 °C

pH (value) 4,5 – 7 (in aqueous solution: $100 \, ^{9}/_{l}$, $20 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 1.920 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

United Kingdom (en) Page 6 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

Density $1,72 \, {}^{\rm g}/{}_{\rm cm^3}$ at 20 ${}^{\rm o}{\rm C}$

Bulk density $600 - 700 \text{ kg/m}^3$

Particle characteristics no data available

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard

classes:

Oxidising solids

Spontaneous ignition Mean burning rate is equal to or greater than the

mean burning rate of a 1:2 mixture, by mass, of

calcium peroxide and cellulose

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Oxidising property.

10.2 Chemical stability

May cause decomposition by long-term light influence. Hygroscopic solid.

10.3 Possibility of hazardous reactions

Risk of ignition: Nitrites, Metals, Phosphorus, Acetic acid,

Exothermic reaction with: Bases, Acids, Oxidisers,

Violent reaction with: Alkali metals, Ammonia (NH3), Ammonium compounds, Combustible materials, Carbide, Chlorates, Ester, Hydrocarbons, Metal powder, Nitro compound, Organic substances, Perchlorates, Reducing agents, Sulphur, Permanganates, for example potassium permanganate, => Explosive properties

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >180 °C.

10.5 Incompatible materials

metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Αcι			:_	:
ACI	116	TO	XIC	ITV

Exposure route	Endpoint	Value	Species	Source
oral	LD50	2.950 ^{mg} / _{kg}	rat	ECHA
dermal	LD50	>5.000 ^{mg} / _{kg}	rat	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, nausea

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation


United Kingdom (en) Page 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299





SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Exposure time			
LC50	447 ^{mg} / _l	fish	48 h			
EC50	490 ^{mg} / _l	aquatic invertebrates	48 h			

Aquatic toxicity (chronic)						
Endpoint	Value	Species	Exposure time			
EC50	>1.000 ^{mg} / _l	microorganisms	180 min			

Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

United Kingdom (en) Page 9 / 16



according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299



Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1942 **IMDG-Code** UN 1942 ICAO-TI UN 1942

14.2 UN proper shipping name

ADR/RID/ADN AMMONIUM NITRATE **IMDG-Code** AMMONIUM NITRATE **ICAO-TI** Ammonium nitrate

14.3 Transport hazard class(es)

ADR/RID/ADN 5.1 **IMDG-Code** 5.1 ICAO-TI 5.1

14.4 Packing group

ADR/RID/ADN III **IMDG-Code** III ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

United Kingdom (en) Page 10 / 16



according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, p.a., ACS

Emergency Action Code

article number: K299

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code O2
Danger label(s) 5.1



Special provisions (SP) 306, 611

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 50

International Maritime Dangerous Goods Code (IMDG) - Additional information

1Y

Marine pollutant Danger label(s) 5.1



Special provisions (SP) 900, 952, 967

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-H, S-Q

Stowage category C

Segregation group 2 - Ammonium compounds

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 5.1



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A64

E1

10 kg

United Kingdom (en) Page 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances	with restrictions	(RFACH Annex XVII)
Daniqui dus substantes	With restrictions	(IVEACIT, MITHER VATT)

Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Ammonium nitrate	ammonium nitrate (AN)	6484-52-2	R58	58	
Ammonium nitrate	inorganic ammonium salts		R65	65	

Legend

R58

1. Shall not be placed on the market for the first time after 27 June 2010 as a substance, or in mixtures that contain more than 28 % by weight of nitrogen in relation to ammonium nitrate, for use as a solid fertiliser, straight or compound, unless the fertiliser complies with the technical provisions for ammonium nitrate fertilisers of high nitrogen content set out in Annex III to Regulation (EC) No 2003/2003 of the European Parliament and of the Council (10).

1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14

R65

July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm

by volume (2,12 mg/m3) under the test conditions specified in paragraph 4.
A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and dens-

A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.

2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.

3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that

4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:

(a) the duration of the test shall be at least 14 days instead of 28 days;

(b) the ammonia gas emission shall be measured at least once per day throughout the test;

(c) the emission limit shall not be reached or exceeded in any measurement taken during the test;

(d) the relative humidity shall be 90 % instead of 50 %;

(e) an appropriate method to measure the ammonia gas emission shall be used;

(f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

Seveso Directive

2012/	2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes				
03	ammonium nitrate (technical grade)	350	2.500	03)				

Notation

This applies to ammonium nitrate and mixtures of ammonium nitrate in which the nitrogen content as a result of the ammonium nitrate is

- between 24,5 % and 28 % by weight, and which contain not more than 0,4 % combustible substances,

- more than 28 % by weight, and which contain not more than 0,2 % combustible substances. It also applies to aqueous ammonium nitrate solutions in which the concentration of ammonium nitrate is more than 80 % by weight

Deco-Paint Directive (2004/42/EC)

VOC content	0 % 0 ^g / _I
-------------	--------------------------------------

United Kingdom (en) Page 12 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 ^g / _l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ammonium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	

Legend

Indicative list of the main pollutants A)

Regulation 98/2013/EU on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions Name of substance **CAS No** Type of registration **Remarks** Limit **Upper** value límit value for the purpose of licensing under Article 5(3) 6484-52-2 >16 % 16 % w/w Ammonium nitrate Annex I No licensing permitof nitrogen in related tion to ammonium nitrate

Legend

>16 % annex I

In concentration of 16 % by weight of nitrogen in relation to ammonium nitrate or higher Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

United Kingdom (en) Page 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS DSL ECSI

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory **IECSC**

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

United Kingdom (en) Page 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Ammonium nitrate ≥98 %, p.a., ACS

article number: K299



Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, p.a., ACS

article number: K299

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16