

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: **X988**
Version: **1.1 en**
Replaces version of: 2015-11-04
Version: (1)

date of compilation: 2015-11-04
Revision: 2021-01-29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Ammonium nitrate ≥98 %, extra pure
Article number	X988
Registration number (REACH)	01-2119490981-27-xxxx
EC number	229-347-8
CAS number	6484-52-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	3	Ox. Sol. 3	H272
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: X988

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Warning

Pictograms

GHS03, GHS07



Hazard statements

H272

May intensify fire; oxidiser

H319

Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220

Keep/store away from combustible materials

P280

Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P371+P380+P375

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance

Ammonium nitrate

Molecular formula

NH_4NO_3

Molar mass

80,04 g/mol

REACH Reg. No

01-2119490981-27-xxxx

CAS No

6484-52-2

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: **X988**

EC No

229-347-8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

Ammonia (NH₃), Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: **X988**

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Control of effects

Protect against external exposure, such as

humidity, UV-radiation/sunlight, direct light irradiation

Consideration of other advice

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: X988

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	36 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	5,12 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	colourless
Odour	odourless
Melting point/freezing point	169 °C at 1.013 hPa
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>180 °C
pH (value)	4,5 – 7 (in aqueous solution: 100 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	1.920 g/l at 20 °C
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

Density 1,72 g/cm³ at 20 °C
Bulk density 600 – 700 kg/m³

Particle characteristics no data available

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard classes:

Oxidising solids

Spontaneous ignition Mean burning rate is equal to or greater than the mean burning rate of a 1:2 mixture, by mass, of calcium peroxide and cellulose

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Oxidising property.

10.2 Chemical stability

May cause decomposition by long-term light influence. Hygroscopic solid.

10.3 Possibility of hazardous reactions

Risk of ignition: Nitrites, Metals, Phosphorus, Acetic acid,

Exothermic reaction with: Bases, Acids, Oxidisers,

Violent reaction with: Alkali metals, Ammonia (NH₃), Ammonium compounds, Combustible materials, Carbide, Chlorates, Ester, Hydrocarbons, Metal powder, Nitro compound, Organic substances, Perchlorates, Reducing agents, Sulphur, Permanganates, for example potassium permanganate, => Explosive properties

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: >180 °C.

10.5 Incompatible materials

metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: **X988**

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity				
Exposure route	Endpoint	Value	Species	Source
oral	LD50	2.950 mg/kg	rat	ECHA
dermal	LD50	>5.000 mg/kg	rat	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting, nausea

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

Other information

Other adverse effects: Cardiac arrhythmias, Headache, Blood pressure drop, Spasms, Methaemoglobinemia, Cyanosis (blue coloured blood)

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	447 mg/l	fish	48 h
EC50	490 mg/l	aquatic invertebrates	48 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	>1.000 mg/l	microorganisms	180 min

Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 1942
IMDG-Code	UN 1942
ICAO-TI	UN 1942

14.2 UN proper shipping name

ADR/RID/ADN	AMMONIUM NITRATE
IMDG-Code	AMMONIUM NITRATE
ICAO-TI	Ammonium nitrate

14.3 Transport hazard class(es)

ADR/RID/ADN	5.1
IMDG-Code	5.1
ICAO-TI	5.1

14.4 Packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code O2

Danger label(s) 5.1



Special provisions (SP) 306, 611

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 50

Emergency Action Code 1Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 5.1



Special provisions (SP) 900, 952, 967

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-H, S-Q

Stowage category C

Segregation group 2 - Ammonium compounds

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 5.1



Special provisions (SP) A64

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥ 98 %, extra pure

article number: X988

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Ammonium nitrate	ammonium nitrate (AN)	6484-52-2	R58	58
Ammonium nitrate	inorganic ammonium salts		R65	65

Legend

- R58 1. Shall not be placed on the market for the first time after 27 June 2010 as a substance, or in mixtures that contain more than 28 % by weight of nitrogen in relation to ammonium nitrate, for use as a solid fertiliser, straight or compound, unless the fertiliser complies with the technical provisions for ammonium nitrate fertilisers of high nitrogen content set out in Annex III to Regulation (EC) No 2003/2003 of the European Parliament and of the Council (10).
- R65 1. Shall not be placed on the market, or used, in cellulose insulation mixtures or cellulose insulation articles after 14 July 2018 unless the emission of ammonia from those mixtures or articles results in a concentration of less than 3 ppm by volume (2,12 mg/m³) under the test conditions specified in paragraph 4.
A supplier of a cellulose insulation mixture containing inorganic ammonium salts shall inform the recipient or consumer of the maximum permissible loading rate of the cellulose insulation mixture, expressed in thickness and density.
A downstream user of a cellulose insulation mixture containing inorganic ammonium salts shall ensure that the maximum permissible loading rate communicated by the supplier is not exceeded.
2. By way of derogation, paragraph 1 shall not apply to placing on the market of cellulose insulation mixtures intended to be used solely for the production of cellulose insulation articles, or to the use of those mixtures in the production of cellulose insulation articles.
3. In the case of a Member State that, on 14 July 2016, has national provisional measures in place that have been authorised by the Commission pursuant to Article 129(2)(a), the provisions of paragraphs 1 and 2 shall apply from that date.
4. Compliance with the emission limit specified in the first subparagraph of paragraph 1 shall be demonstrated in accordance with Technical Specification CEN/TS 16516, adapted as follows:
(a) the duration of the test shall be at least 14 days instead of 28 days;
(b) the ammonia gas emission shall be measured at least once per day throughout the test;
(c) the emission limit shall not be reached or exceeded in any measurement taken during the test;
(d) the relative humidity shall be 90 % instead of 50 %;
(e) an appropriate method to measure the ammonia gas emission shall be used;
(f) the loading rate, expressed in thickness and density, shall be recorded during the sampling of the cellulose insulation mixtures or articles to be tested.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
03	ammonium nitrate (technical grade)	350 2.500	03)

Notation

- 03) This applies to ammonium nitrate and mixtures of ammonium nitrate in which the nitrogen content as a result of the ammonium nitrate is
- between 24,5 % and 28 % by weight, and which contain not more than 0,4 % combustible substances,
- more than 28 % by weight, and which contain not more than 0,2 % combustible substances.
It also applies to aqueous ammonium nitrate solutions in which the concentration of ammonium nitrate is more than 80 % by weight

Deco-Paint Directive (2004/42/EC)

VOC content	0 % 0 9/1
-------------	--------------

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: X988

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 g/l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ammonium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	

Legend

A) Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Ammonium nitrate	6484-52-2	Annex I	>16 %	16 % w/w of nitrogen in relation to ammonium nitrate	No licensing permitted

Legend

>16 %
annex I In concentration of 16 % by weight of nitrogen in relation to ammonium nitrate or higher
Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥98 %, extra pure

article number: **X988**

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate ≥ 98 %, extra pure

article number: **X988**

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Ammonium nitrate $\geq 98\%$, extra pure

article number: **X988**

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.